

नेपाल सरकार  
गृह मन्त्रालय  
जिल्ला प्रशासन कार्यालय



महोत्तरी जिल्लाको आ.व.२०८२/२०८३ को स्वीकृत जिल्ला दररेट



आ. व. २०८२/८३

असाढ ३१, २०८२

*Handwritten signature*



**निर्णय हरु :**

- १) आ.व.२०८२-८३ का लागि जिल्ला दररेट निर्धारण समिति महोत्तरीबाट देहाय बमोजिमको जिल्ला दर रेट कायम गर्ने निर्णय गरियो ।
- २) यस जिल्ला दररेट बाहेकका अन्य पदहरूमा भर्ना गरी ज्यालादारीमा काम लगाउदा जुन तह वा स्तर मा काम गराउने हो, सो पदमा नेपाल सरकारले निर्धारण गरेको शुरु तलब स्केललाई ३० ले भाग गर्दा आउने रकमलाई दैनिक ज्याला कायम गर्ने ।
- ३) कामदारको काम गर्ने समय दिनको ८ घण्टा हुनेछ ।
- ४) निर्धारण गरिएका दररेट मा मूल्य अभिविद्धि कर समावेश गरिएको छैन ।
- ५) यसमा उल्लेख नभएका सामग्रीको दररेट निर्धारणको हकमा स्थानीय बजारबाट कस्तीमा ३ वटा फर्म व्यवसायी संग वा स्थानीय उधोग वाणिज्य संघ वा नेपालका अधिकारिक Online विक्रेताका दरहरूलाई आधारमानी दररेट लिई दररेट कायम गर्ने तथा स्थानीय बजारमा उपलब्ध हुन नसक्ने सामग्रीको दररेट अन्य जिल्लाको दररेटमा हुवानी भाडा समावेश गरी दररेट कायम गर्ने निर्णय गरियो ।
- ६) मेसिन, औजार तथा उपकरण भाडा दर सम्बन्धि मेसिन प्रयोग गरि सडक निर्माण गर्दा वा अन्य कार्य गर्नु पर्दा डोजर,ग्रेडर आदिको दर सडक विभागबाट कायम गरिएको प्रतिघण्टाको भाडा दर अनुसार नै हुने निर्णय गरियो ।
- ७) निर्माण सामग्रीको दररेट महोत्तरी जिल्ला भित्रका विभिन्न पालिकाको प्रशासनिक केन्द्रका लागि कायम गरिएको र जिल्लाका अन्य भागहरूको लागि निर्माण सामग्रीहरूको दर निर्धारण गर्दा सामग्री उपलब्ध हुने स्थानको दरमा दूरी अनुसारको सामान हुवानी भाडा थप गरी कायम गर्न सकिनेछ ।

महोत्तरी जिल्ला दररेट निर्धारण समिति को मिति २०८२ /०३/३१ गतेको निर्णय अनुसार कायम गरिएको आ.व २०८२-८३ को जिल्ला दररेट						
कामदारको ज्याला दर रेट						
स. नं.	विवरण	ईकाइ	जिल्ला दररेट महोत्तरी			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
१	अर्ध सिपालु कामदार (सिकर्मी, ठकर्मी, नकर्मी, बज्रकर्मी, चित्रकार, प्लम्बर, मेकेनिक, बलाष्टर, वेल्डर )	प्र.ज.	९६५१००	९६५१००	९६५१००	
२	सिपालु कामदार (सिकर्मी, ठकर्मी, नकर्मी, बज्रकर्मी, चित्रकार, प्लम्बर, इलेक्ट्रीसियन, मेकेनिक, बलाष्टर, वेल्डर )	प्र.ज.	१,२२५१००	१,२२५१००	१,२२५१००	
३	ज्यामी	"	८००१००	८००१००	८००१००	
४	भरिया	"	८००१००	८००१००	८००१००	
५	हेभी सवारी चालक	"	१,०००१००	१,०००१००	नेपाल सरकारले तोकेको सुरु तलब स्केल बमोजिम	
६	लाइट सवारी चालक	"	८००१००	८००१००	नेपाल सरकारले तोकेको सुरु तलब स्केल बमोजिम	
७	हेल्पर	"	७७५१००	७७५१००	७७५१००	
८	सभै हेल्पर, क्याम्प वर्कर, विद्युत हेल्पर	"	७७५१००	७७५१००	७७५१००	
९	मेस्तर	"	५५०१००	७७५१००	७७५१००	
१०	औसधी छर्ने, लोडिंग आदि गर्ने ज्यामी	"	७७५१००	७७५१००	७७५१००	
११	लेन्थ मेन तथा रोड वर्कर	"	७७५१००	७७५१००	७७५१००	
१२	इलेक्ट्रिकल फोरम्यान तेश्रो तह	प्र.ज.	८००१००	८००१००	८००१००	
१३	कम्प्युटर अपरेटर (एस.एल.सी.)	प्र.ज.	८००१००	८००१००	८००१००	
१४	कृषि श्रमिक	"	६१०१००	७७५१००	७७५१००	
१५	समान लोड अनलोड गर्ने ज्याला	१०० किलो		२५१००	२५१००	
१६	सिमेन्ट प्लास्टर बुझा काट्ने मिस्त्री	प्र.ज.		२,५००१००	२,५००१००	
१७	निर्माण कार्यमा खटिने सईट सुपरभाइजर	प्र.ज.			७७५१००	
१८	अन्य				नेपाल सरकारले तोकेको सुरु तलब स्केल बमोजिम	

Handwritten signatures and initials are present below the table, including a large signature on the left and several smaller ones on the right.

नारायण प्रसाद रिसाल  
प्रमुख जिल्ला अधिकारी



महोदरी जिल्लाको दुवानी भाडा तथा मसिनरी सम्बन्धि दर रेट

क्र. नं.	विवरण	ईकाइ	महोदरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
१	लेभल मेशिन	प्र.दिन	१,०९२।००	१,०९२।००	१,०९२।००	
२	थेडोलाइट	"	१,६३८।००	१,६३८।००	१,६३८।००	
३	टोटल स्टेशन	"	२,१८४।००	२,१८४।००	२,१८४।००	
४	टापर गाडा	"	९८२।८०	९८२।८०	९८२।८०	
५	बयल गाडा	"	७६४।४०	७६४।४०	७६४।४०	
६	टिप्पर (ईन्धन बाहेक) ६ चक्का	"	५,४६०।००	५,४६०।००	५,४६०।००	
७	ट्याक्टर टिपर(ईन्धन बाहेक) १० चक्का	"	७,४००।००	७,४००।००	७,४००।००	
८	ट्रक टिप्पर (ईन्धन समेत)	प्र.किन्टल, प्र.कि.मि.				
	क) पक्की बाटो	"	३३०	३३०	३३०	
	ख) ग्रामेल बाटो	"	४४०	४४०	४४०	
	ग) कच्ची बाटो	"	५००	५००	५००	
९	ट्रक्याक्टर (ईन्धन बाहेक)	प्र.दिन	२,७३०।००	२,७३०।००	२,७३०।००	
१०	ट्रक्याक्टर (ईन्धन समेत)	"	३,८२२।००	३,८२२।००	३,८२२।००	
११	ट्रक्याक्टर (ईन्धन समेत)	प्र.किन्टल, प्र.कि.मि.				
	क) पक्की बाटो	"	३६०	३६०	३६०	
	ख) ग्रामेल बाटो	"	४२०	४२०	४२०	
	ग) कच्ची बाटो	"	४८९	४८९	४८९	
१२	ट्रक्याक्टरमा लेभलर लगाइ माटो काट्ने,दुवानी गर्ने लेभलर लगाइ माटो सम्बन्धन कामको लागि		११४।६६	११४।६६	११४।६६	
१३	हल्का सवारी साधन (ईन्धन बाहेक)	प्र.दिन	२,९४८।४०	३,५००।००	३,५००।००	
१४	सामान दुवानी					
	क) पक्की बाटो	प्र.किन्टल, प्र.कि.मि.	२।४०	२।४०	२।४०	
	ख) ग्रामेल बाटो	प्र.किन्टल, प्र.कि.मि.	३।२४	३।२४	३।२४	
	ग) कच्ची बाटो	प्र.किन्टल, प्र.कि.मि.	३।६०	३।६०	३।६०	
१५	दुवानी विश्लेषणको लागि					
	ट्रकको मोल	१० मेटन	३,२७६,०००।००	३,२७६,०००।००	३,२७६,०००।००	
	ट्याक्टरको मोल	३ मेटन	१,३१०,४००।००	१,३१०,४००।००	१,३१०,४००।००	
१६	भरीया २० के.जी देखि ४० के.जी सम्म	कोष	६।००	६।००	६।००	
१७	तारजाली लोड	गोटा	८।७४	८।७४	८।७४	
१८	तारजाली अनलोड	गोटा	९।२८	९।२८	९।२८	
१९	GI WIRE लोड	बन्डल	६।५५	६।५५	६।५५	
२०	GI WIRE अनलोड	बन्डल	७।३२	७।३२	७।३२	
२१	जोप कार तेल बाहेक दैनिक भाडा	प्र.दिन	३,९००।००	४,२९०।००	४,२९०।००	
२२	ट्रक टिप्पर (ईन्धन समेत)	प्र.दिन	१२,०१२।००	१२,०१२।००	१२,०१२।००	
२३	ठेला गाडा	प्र.किन्टल, प्र.कि.मि.	६।००	६।००	६।००	
२४	पम्पिंग सेट ४" ईन्धन समेत	घण्टा	४०९।५०	४०९।५०	४०९।५०	
२५	सिमेन्टको विजुलीको खम्बा दुवानी					
	(क) ५ कि.मी.सम्म	प्र.खम्बा	१,२०१।२०	१,२०१।२०	१,२०१।२०	
	(ख) ५ कि.मी.भन्दा माथि	"	१,८५६।४०	१,८५६।४०	१,८५६।४०	
२६	काठको पोल (विजुलीको) हकमा सिमेन्ट पोलको ७५ प्रतिशत ले दुवानी गराउने					
२७	ट्रान्सफर्मर दुवानी					
क.	१४ के.मी. ए देखि २५ के.मी.ए सम्मको	गोटा				
	० देखि ५ कि.मी.सम्मको	"	१,०९२।००	१,०९२।००	१,०९२।००	
	५ देखि १० कि.मी.सम्मको	"	१,३१०।४०	१,३१०।४०	१,३१०।४०	
	१० देखि १५ कि.मी.सम्मको	"	१,५२८।९०	१,५२८।९०	१,५२८।९०	
	१५ देखि २० कि.मी.सम्मको	गोटा	१,८०१।८०	१,८०१।८०	१,८०१।८०	
	२० देखि २५ कि.मी.सम्मको	"	१,९१९।००	१,९१९।००	१,९१९।००	
	२५ देखि ३० कि.मी.सम्मको	"	२,०२०।२०	२,०२०।२०	२,०२०।२०	
ख.	५० के.मी. ए देखि २०० के.मी.ए सम्मको					
	० देखि ५ कि.मी.सम्म	गोटा	१,३५१।३५	१,३५१।३५	१,३५१।३५	
	५ देखि १० कि.मी.सम्म	"	१,४७१।४७	१,४७१।४७	१,४७१।४७	
	१० देखि १५ कि.मी.सम्म	"	१,९५१।९५	१,९५१।९५	१,९५१।९५	
	१५ देखि २० कि.मी.सम्म	"	२,५२२।५२	२,५२२।५२	२,५२२।५२	
	२० देखि २५ कि.मी.सम्म	"	२,६४२।६४	२,६४२।६४	२,६४२।६४	
	२५ देखि ३० कि.मी.सम्म	"	२,७६२।७६	२,७६२।७६	२,७६२।७६	
२८	भेपर लाइट जडान गर्ने कार्य सहयोगी	प्र.सेट	१८०।१८	१८०।१८	१८०।१८	
२९	पोल लोड	गोटा	६६०।६६	६६०।६६	६६०।६६	
३०	पोल अनलोड	गोटा	६००।६०	६००।६०	६००।६०	
३१	खाली बोरा लोड (१०० बोरा बण्डल)		६।०९	६।०९	६।०९	
३२	खाली बोरा अनलोड (१०० बोरा बण्डल)		६।६०	६।६०	६।६०	

Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and a stamp on the right that reads 'नारायण प्रसाद रिजाल प्रमुख जिल्ला अधिकारी'.



क्र.सं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
३३	माटो काटने एक्सकाभेटर (JCB)	प्र. घण्टा				
	0.63 cu.m. capacity		३,२७६।००	३,२७६।००	३,२७६।००	
	0.80 cu.m. capacity		४,०४०।४०	४,०४०।४०	४,०४०।४०	
	1.32 cu.m. capacity		६,३३३।६०	६,३३३।६०	६,३३३।६०	
३४	एक्सकाभेटरले site cutting गरी सडकमा माटो पुर्ने तथा लेभलर लगाई सडकमा माटो सम्प्राप्तने कार्य (हन्धन र चालक सहित)	प्र.घ.मी.	१५.७५०	१५.७५०	१५.७५०	
<b>निर्माण सामग्रीहरूको</b>						
१	ईच चिन्ती भट्टाको	प्र. हजार				
	(क) प्रथम श्रेणी	"	१४,८००।००	१४,८००।००	१४,८००।००	
	(ख) द्वितीय श्रेणी	"	११,०००।००	११,०००।००	११,०००।००	
	(ग) साठईटा (ओभर वर्नट)	"	१०,०००।००	१०,०००।००	१०,०००।००	
२	ईटाको टुक्रा १ नं.	प्र.घ.मी.	४,३६८।००	४,३६८।००	४,३६८।००	
३	ईटाको टुक्रा २ नं.	प्र.घ.मी.	२,७३०।००	२,७३०।००	२,७३०।००	
४	ईटाको राबिस	प्र.घ.मी.	१,२०१।२०	१,२०१।२०	१,२०१।२०	
५	मेसीन मेड ईटा	प्र.हजार	१३,१०४।००	१३,१०४।००	१३,१०४।००	
६	माटो	प्र.घ.मी.	४००।००	४००।००	४००।००	
७	सिमेन्ट					
क	OPC	प्र.व्याग (५० के.जी.)	८८४।००	८००।००	८००।००	
ख	PPC	प्र.व्याग (५० के.जी.)	८३२।००	७००।००	७००।००	
ग	सिलिका सिमेन्ट	प्र.व्याग (२० के.जी.)	१,६६४।००	१,६६४।००	१,६६४।००	
८	बालुवा वास	प्र.घ.मी.	१,६६४।००	१,६६४।००	१,६६४।००	
९	ग्राभल	प्र.घ.मी.	१,९६४।६०	१,९६४।६०	१,९६४।६०	
१०	घाँस	लिट्र	०।५२	०।५२	०।५२	
११	0.20 - 0.28 cu.m. capacity mixture (with oil & Operator)	घण्टा	५.७५५०	५.७५५०	५.७५५०	
१२	Vibrator (with oil & Operator)	घण्टा	२.८८।५५	२.८८।५५	२.८८।५५	
१३	ढुंगा					
	(क) ब्लक स्टाइन	घ.मी.	२,८३९।२०	२,८३९।२०	२,८३९।२०	
	(ख) बोल्टर ढुंगा	"	३,४९४।४०	२,४६६।२०	२,४६६।२०	
	(ग) फोस्वा ढुंगा	"	३,७९।८०	२,६७५।००	२,६७५।००	
	(घ) कुदेको ढुंगा	"		२,७५५।००	२,७५५।००	
१४	ढुंगाको गिट्टी (फोडेको)					
	क) ५मी.मी.देखि १०मी.मी. सम्म	घ.मी.	३,१६६।८०	३,१६६।८०	३,१६६।८०	
	ख) ११ ,, ,, २० ,, ,,	घ.मी.	३,१८९।९०	३,१८९।९०	३,१८९।९०	
	ग) २१ ,, ,, ४० ,, ,,	घ.मी.	३,१९२।२०	३,१९२।२०	३,१९२।२०	
	घ) ४१ ,, ,, ७० ,, ,,	घ.मी.	३,०५.७६०	३,०५.७६०	३,०५.७६०	
	ङ) ७१ ,, ,, १०० ,, ,,	घ.मी.	३,००३।००	३,००३।००	३,००३।००	
१५	बालुवा खोलाको	घ.मी.	७०९।८०	७०९।८०	७०९।८०	
१६	ढुंगाको गिट्टी (फोडेको) स्थानीय रेट					
१७	क) ५मी.मी.देखि १०मी.मी. सम्म	घ.मी.	२,१७५।००	२,१७५।००	२,१७५।००	
	ख) ११ ,, ,, २० ,, ,,	घ.मी.	२,१८०।००	२,१८०।००	२,१८०।००	
	ग) २१ ,, ,, ४० ,, ,,	घ.मी.	२,१००।००	२,१००।००	२,१००।००	
	घ) ४१ ,, ,, ७० ,, ,,	घ.मी.	२,२००।००	२,२००।००	२,२००।००	
	ङ) ७१ ,, ,, १०० ,, ,,	घ.मी.	२,२००।००	२,२००।००	२,२००।००	
	ढुंगाको गिट्टी (राउंड)					
१८	क) ३ मि.मि. देखि १० मि.मि.	घ.मी.	१,९९१।००	१,९९१।००	१,९९१।००	
	ख) ११ ,, ,, २० ,, ,,	घ.मी.	२,३४७।८०	२,३४७।८०	२,३४७।८०	
	ग) २१ ,, ,, ४० ,, ,,	घ.मी.	२,२६५।९०	२,२६५।९०	२,२६५।९०	
	घ) ४१ ,, ,, ७० ,, ,,	घ.मी.	१,६९२।६०	१,६९२।६०	१,६९२।६०	
	ङ) ७१मी.मी.देखि १००मी.मी. सम्म	घ.मी.	१,६९२।६०	१,६९२।६०	१,६९२।६०	
	ढुंगाको गिट्टी (राउंड) स्थानीय रेट					
१९	क) ३ मि.मि. देखि १० मि.मि.	घ.मी.	१,९७५।००	१,९७५।००	१,९७५।००	
	ख) ११ ,, ,, २० ,, ,,	घ.मी.	१,८००।००	१,८००।००	१,८००।००	
	ग) २१ ,, ,, ४० ,, ,,	घ.मी.	१,७५०।००	१,७५०।००	१,७५०।००	
	घ) ४१ ,, ,, ७० ,, ,,	घ.मी.	१,९७५।००	१,९७५।००	१,९७५।००	
	ङ) ७१मी.मी.देखि १००मी.मी. सम्म	घ.मी.	१,९००।००	१,९००।००	१,९००।००	
	बालुवा वास	घ.मी.	१,३२७।७३	१,३२७।७३	१,३२७।७३	
	च) क्रसर स्टाइन इस्ट		१,३९०।४०	१,३९०।४०	१,३९०।४०	
२०	इटाको रोडा ०.५ देखि १ सम्म	"	१,९६५।६०	१,९६५।६०	१,९६५।६०	
२१	इटाको टुक्रा ६ देखि ९ सम्म	"	२,०२०।२०	२,०२०।२०	२,०२०।२०	
२२	सुर्को	"	२,०२०।२०	२,०२०।२०	२,०२०।२०	
२३	खर	बन्डल	१०९।२०	१०९।२०	१०९।२०	
२४	खरही	"	९।८८	९।८८	९।८८	
२५	बाबीयो	"	१७४।७२	१७४।७२	१७४।७२	
२६	गान्नी	"	१७४।७२	१७४।७२	१७४।७२	

नारायण प्रसाद रिसाल
   
 प्रमुख जिल्ला अधिकारी



क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला वर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	महोत्तरी २०८२-०८३	
२७	बास छ देखि ८ इन्च मोटो	गोटा	३२७६०	३२७६०	३२७६०	
२८	बास ६ इन्च भन्दा पतलो	गोटा	२७३००	२७३००	२७३००	
२९	बारबेड बायर फेन्सींग पोस्ट	गोटा	३८२२०	३८२२०	३८२२०	
<b>प्लमिङ तथा अन्य सामग्रीहरू</b>						
१	सिमेट टाइल्स	घान	२९१४८	२९१४८	२९१४८	
२	सिमेट टाइल्स धुरी	गोटा	२९१४८	२९१४८	२९१४८	
३	माटो टाइल्स	गोटा	१८१५६	१८१५६	१८१५६	
४	माटो टाइल्स धुरी	गोटा	१८१५६	१८१५६	१८१५६	
५	माटोको खपडा	हजार	३,२७६१००	३,२७६१००	३,२७६१००	
६	बाबियो खरको डोरो	किलो	७६१४४	७६१४४	७६१४४	
७	परालको घटाइ	व.मी.	२९८४४०	२९८४४०	२९८४४०	
८	बासको मान्दो	व.मी.	१३६१४०	१३६१४०	१३६१४०	
८	भुस	किलो	१२००९	१२००९	१२००९	
९	गोबर	किलो	८१७४	८१७४	८१७४	
१०	तयारी सिमेटको जाली	व.मी.	३००३२०	३००३२०	३००३२०	
११	नाचलको डोरी	किलो	१७४१७२	१७४१७२	१७४१७२	
१२	नाचलको डोरी	किलो	२९८४४०	२९८४४०	२९८४४०	
१३	एन्सक्रेट सिमेन्ट सीट	व.मी.	६५५१२०	६५५१२०	६५५१२०	
१४	एन्सक्रेट सिमेन्ट धुरी	व.मी.	३८२२२०	३८२२२०	३८२२२०	
१५	मार्बल चिस (मोजायक)					
१६	(क) ३ मी.मी.	के.जी.	३८२२२	३८२२२	३८२२२	
	(ख) १५ मी.मी.	"	३८२२२	३८२२२	३८२२२	
	तेराको टाइल २० मि.मि.	व.मी.	९२८२२०	९२८२२०	९२८२२०	
१७	मार्बल					
१८	(क) प्लेन मार्बल १५ मी.मी.	व.मी.	४,९२७७६	४,९२७७६	४,९२७७६	
	(ख) मार्बल २५ मी.मी.	व.मी.	४,२४५१७०	४,२४५१७०	४,२४५१७०	
	(ग) ग्रेनाईट हुंगा २० मी.मी.	व.मी.	४,५८६१४०	४,५८६१४०	४,५८६१४०	
	दायल (फ्लोर र भित्तामा छाप्ने)					
१९	(क) पोर्सलिन ग्लेज्ड (बाल दायल)	प्र.व.मी.	१,३९०१४०	१,३९०१४०	१,३९०१४०	
	(क) पोर्सलिन नगलेज्ड	प्र.व.मी.	१,२०९१२०	१,२०९१२०	१,२०९१२०	
	Double charge floor tile (800mm *800 mm)	प्र.व.मी.	१,७०८८४	१,७०८८४	१,७०८८४	
२०	Double charge floor tile (600mm *600 mm)	प्र.व.मी.	१,३६६१५२	१,३६६१५२	१,३६६१५२	
२१	मोजायकको अन्य सामग्री					
२२	(क) काबोरेडम हुंगा	प्र.गोटा	३२७६०	३२७६०	३२७६०	
	नन स्क्रिड टाइल	प्र.व.मी.	१,०९२१००	१,०९२१००	१,०९२१००	
२३	सीमेन्ट फ्लोर टाइल १०"x१०"	"	९२८२२०	९२८२२०	९२८२२०	
	पि.सि.सि. टाइल्स १०"x१०"	"	६८२१५०	६८२१५०	६८२१५०	
	चेकर " १०"x१०"	"	७९९१७०	७९९१७०	७९९१७०	
	मोजाइक " - १०"x१०"	"	९८२१८०	९८२१८०	९८२१८०	
	भेन्स " - १०"x१०"	"	१,९४६६६०	१,९४६६६०	१,९४६६६०	
	कार्पेट " - १०"x१०"	"	१,९४६६६०	१,९४६६६०	१,९४६६६०	
	आर्ट " - १०"x१०"	"	१,९२९१९२	१,९२९१९२	१,९२९१९२	
	parking tile(12"x12")	प्र.व.मी.	१,९४०१५६	१,९४०१५६	१,९४०१५६	
२४	plastic Tripal 500 gauge	प्र.व.मी.	४३००	४३००	४३००	
२५	Ivory color Flat Wall Panel(0.4*1040)-50 mm	प्र.व.मी.	२,३२४१६	२,३२४१६	२,३२४१६	
२६	Ivory color Flat Wall Panel(0.4*1040)-75 mm	प्र.व.मी.	२,७९१५२	२,७९१५२	२,७९१५२	
<b>फलामे सामग्रीहरूको</b>						
१	फलामे डण्डी					
	(क) टोर स्टील/टी.एम.टी.विभिन्न साईज	के.जी.	९८१००	९८१००	९८१००	
	(ख) माईन्ड स्टील	"	८७३६	८७३६	८७३६	
२	जी.आई. डण्डी बाँध्ने तार २० नं. (स्मेशल)	के.जी.	१३९१०४	१३९१०४	१३९१०४	
३	जी.आई. डण्डी बाँध्ने तार २२ नं. (स्मेशल)	"	१४९१९६	१४९१९६	१४९१९६	
४	फलामे गेट					
	(क) फलामे गेट (फेबरीकेसन सहित)	के.जी.	१४९१७५	१४९१७५	१४९१७५	
	(ख) तयारी कोलापिसवल गेट	व.मी.	५,४६०१००	५,४६०१००	५,४६०१००	
	(ग) तयारी रोलिङ सटर १६ २६ १८ गेज जडान सहित	के.जी.	४,९९४१००	४,९९४१००	४,९९४१००	
५	तयारी टयूबलर टस	के.जी.	१७४१७२	१७४१७२	१७४१७२	
६	फलामे ग्रील ३ ह २० मी.मी.(प्रति व.मी. १६.९४ के.जी.)	व.मी.	२,८९३८०	२,८९३८०	२,८९३८०	
७	फलामे ग्रील ४.५ ह २० मी.मी.(प्रति व.मी. २९.५ के.जी.)	"	३,८२२१००	३,८२२१००	३,८२२१००	
८	फलामे ग्रील सबै किसिमका	किलो	१६३८०	१६३८०	१६३८०	
९	जी.आई.तार जाली मस्कीटो पुफ 18 मेस	व.मी.	१९६१५६	१९६१५६	१९६१५६	
१०	कुबुरा जाली (चिकेन मेस) राम्रो	"	९२८२२	९२८२२	९२८२२	
११	एकस्पेन्डेड मेटल जाली	"	१६९१२६	१६९१२६	१६९१२६	
१२	वेल्डिङ चाज	के.जी.	४९१४	४९१४	४९१४	

नारायण प्रताप रिवाल
   
 प्रमुख जिल्ला अधिकारी

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला वर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
१३	फुलाइ प्रुफ नेट १८ मेस	व.मी.	१९६५६	१९६५६	१९६५६	
१४	बालुवा चाल्ने जाली	"	२७३००	२७३००	२७३००	
१५	काढेगार					
	(क) १२ गेजको	र.मी.	४३६८	४३६८	४३६८	
	(ख) १४ गेजको	"	३८२२	३८२२	३८२२	
१६	किला, काटी, नट बोल्ट					
	(क) होल्ड फास्ट २५० मी.मी.	गोटा	४९५४	४९५४	४९५४	
	(ख) किला काटी विभिन्न साईजको	प्र.के.जी.	१४७४२	१४७४२	१४७४२	
	(ग) प्रयागी किला	"	१०९१२०	१०९१२०	१०९१२०	
	(घ) फलामे वासर	गोटा	४३७	४३७	४३७	
	(ङ) विट्मीन वासर	"	१६४	१६४	१६४	
	कच्चा					
१७	कच्चा (स्टीलको)					
	७५ मी.मी.	गोटा	३८२२	४८२२	४८२२	
	१०० मी.मी.	गोटा	४३६८	५३६८	५३६८	
	१५० मी.मी.	गोटा	५४६०	६४६०	६४६०	
	२०० मी.मी.	गोटा	६००६	७००६	७००६	
	२५० मी.मी.	गोटा	६५५२	७५५२	७५५२	
	३०० मी.मी.	गोटा	८१९०	९१९०	९१९०	
	छेन्कीर्न					
१८	१०० मी.मी.	गोटा	६५५२	७५५२	७५५२	
	१५० मी.मी.	गोटा	८७३६	९६१०	९६१०	
	२०० मी.मी.	गोटा	१०९१२०	१२०१२	१२०१२	
	२५० मी.मी.	गोटा	१३१०४	१४४१४	१४४१४	
	३०० मी.मी.	गोटा	१५२१८	१६८१७	१६८१७	
	क्रस हुक	गोटा	२१८४	२१८४	२१८४	
१९	नटबोल्ट	गोटा	१६३८	१६३८	१६३८	
२०	नटबोल्ट	किलो	१९११०	१९११०	१९११०	
२१	लफिट सेट	गोटा	३६०३६	३६०३६	३६०३६	
२२	हतकल ठूलो	गोटा	७८६२	७८६२	७८६२	
२३	हेण्डल ठूलो	गोटा	३२७६०	३२७६०	३२७६०	
२४	हेण्डल सानो	गोटा	२०७४८	२०७४८	२०७४८	
२५	मोर्टिस लक	गोटा	७०९८०	७०९८०	७०९८०	
२६	टोर स्प्रिङ	गोटा	५२४१६	५२४१६	५२४१६	
२७	हाइड्रोलिक टोर स्प्रिङ	"	२,७३०१०	२,७३०१०	२,७३०१०	
२८	घेकिनी (एल्मिनियम)					
	(क) १०० मी.मी.लामो ४"	गोटा	७०१८	७०१८	७०१८	
	(ख) १५० मी.मी.लामो ६"	"	८११०	८११०	८११०	
	(ग) २५० मी.मी.लामो १०"	"	९२८२	९२८२	९२८२	
	(घ) २५० मी.मी.लामो १२"	"	१०९१२०	१०९१२०	१०९१२०	
	(ङ) ३०० मी.मी.लामो १२"	"	१३१०४	१३१०४	१३१०४	
२९	लफिग सेट					
	अल्मिनियमको ठूलो	गोटा	३६०३६	३६०३६	३६०३६	
	ब्रासको	गोटा	८११००	८११००	८११००	
३०	हेण्डल					
	अल्मिनियमको					
	(क) ठूलो	गोटा	४२०४२	४२०४२	४२०४२	
	(ख) सानो	"	२४०२४	२४०२४	२४०२४	
३१	ब्रासको					
	(क) ठूलो	गोटा	७०९८०	७०९८०	७०९८०	
	(ख) सानो	"	५३५०८	५३५०८	५३५०८	
३२	हतकल					
	अल्मिनियमको					
	(क) ठूलो	गोटा	१२०१२	१२०१२	१२०१२	
	(ख) सानो	"	८७३६	८७३६	८७३६	
	ब्रासको					
	(क) ठूलो	गोटा	४१४१६	४१४१६	४१४१६	
	(ख) सानो	"	१७४७२	१७४७२	१७४७२	
३३	हेण्डल मेडियम क्वालिटी र साइज					
३४	मोर्टिस लक					
	सटिलको	प्र.सेट	८७३६०	८७३६०	८७३६०	
	ब्रासको	"	१,२०१२०	१,२०१२०	१,२०१२०	
३५	डोर स्प्रिङ हाइड्रोलिक ब्रास	"	२,०२०२०	२,०२०२०	२,०२०२०	
३६	स्कू किला					
	स्कू १/२"	गोटा	१३७	१३७	१३७	
	स्कू ३/४"	गोटा	१६४	१६४	१६४	
	स्कू १"	गोटा	१९९	१९९	१९९	



३१/१०/२०७९

प्रमुख जिल्ला अधिकारी

सि. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
	स्क्रु १ 1/2"	गोटा	२१७३	२१७३	२१७३	
	स्क्रु २"	गोटा	३१२८	३१२८	३१२८	
	स्क्रु २ 1/2"	गोटा	३१८२	३१८२	३१८२	
	स्क्रु ३"	गोटा	४१३७	४१३७	४१३७	
३७	फलाफे एंगल (आयरन) Steel sections (angle, channel etc) including	के.जी.	१३६१५०	१३६१५०	१३६१५०	
३८	पर्दाको तार	र.मी.	५११३२	५११३२	५११३२	
३९	एल किला	गोटा	२७३०	२७३०	२७३०	
४०	डिआईग्यापियन बायर hand made					
	Heavy coated 7/10 S.W.G.	किलो	१५०१००	१५०१००	१५०१००	
	Heavy coated 12 S.W.G.	किलो	१४०१००	१४०१००	१४०१००	
	Medium coated 7/10 S.W.G.	किलो	१३०१००	१३०१००	१३०१००	
	Medium coated 12 S.W.G.	किलो	१३५१००	१३५१००	१३५१००	
	Light coated 7/10 S.W.G.	किलो	११०१००	११०१००	११०१००	
	Light coated 12 S.W.G.	किलो	११५१००	११५१००	११५१००	
	Commercial 8/10 gauge	किलो	११५१००	११५१००	११५१००	
	१० गेज जी.आई लार्को नॉसन मेड जाती	ब.मा	२७३१००	२७३१००	२७३१००	
	मोसनवाट बुनको होभि जिडु कोटड ग्यापियन जाली(पटकोणीय मेससाईज १० X १२ से मि मेस व्हर ३ concentrina wire १४ गेज with Zinc coating	ब.मी	२९०१००	२९०१००	२९०१००	
४१	सि पायल जेड पायल IS Code 2314-1963	किलो	२०५१००	२०५१००	२०५१००	
४२	HOARDING BOARD					
४३	बस्तामा लखका (४ फुट ४ इन्च फुट) फ्रम साहत	संख्या	३,१५०१००	३,१५०१००	३,१५०१००	
	फ्लक्स प्रिन्ट (४ फुट ४ इन्च फुट) फ्रम साहत	संख्या	२,१००१००	२,१००१००	२,१००१००	
	flex print गर्ने कार्य					
	backlid paper	sq.ft		१००१००	१००१००	
	glossing paper	sq.ft		८०१००	८०१००	
	star paper	sq.ft		६०१००	६०१००	
	normal paper	sq.ft		५०१००	५०१००	
	flex hanger	sq.ft		३५१००	३५१००	
४४	स्टेनलेस स्टील पाईप					
	३/४" व्यास भएको १६ गेज मोटाई	मिटर	२०३१७०	२०३१७०	२०३१७०	
	१" व्यास भएको १६ गेज मोटाई	मिटर	२५५११५	२५५११५	२५५११५	
	१ १/४" व्यास भएको १६ गेज मोटाई	मिटर	३२५१५०	३२५१५०	३२५१५०	
	१ १/२" व्यास भएको १६ गेज मोटाई	मिटर	३९५१८०	३९५१८०	३९५१८०	
	२" व्यास भएको १६ गेज मोटाई	मिटर	४३३१४०	४३३१४०	४३३१४०	
	३" व्यास भएको १६ गेज मोटाई	मिटर	८५८१९०	८५८१९०	८५८१९०	
४५	स्टेनलेस स्टील रेलिङको कार्य-२ इन्च पर्ईपकोठाडो पोस्ट, २ इन्चको हेन्डरेल तथा १ इन्च व्यासको तिन तह तेशो पाईप राखी तयार गरि जडान गर्ने काम (जवाई ९० से.मि.)	र.फी.	१,२६०१००	१,२६०१००	१,२६०१००	
४६	स्टेनलेस स्टील रेलिङको कार्य-२ इन्च पर्ईपकोठाडो पोस्ट, २ इन्चको हेन्डरेल तथा १ इन्च व्यासको दुई तह तेशो पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	१,१०२१५०	१,१०२१५०	१,१०२१५०	
४७	स्टेनलेस स्टील रेलिङको कार्य-१.५ इन्च पर्ईपकोठाडो पोस्ट, २ इन्चको हेन्डरेल तथा १ इन्च व्यासको तिन तह तेशो पाईप राखी तयार गरि जडान गर्ने काम	र.फी.	९९७१५०	९९७१५०	९९७१५०	
४८	1) Aluminium fixed panel window with Ventilation but without fly mesh shutter from section (88x38.1x1.3)mm and 5mm glass	व. मी.	६,७७०१४०	६,७७०१४०	६,७७०१४०	
४९	2) Aluminium fixed panel window with Ventilation but with fly mesh shutter from section (88x38.1x1.3)mm and 5mm glass	व. मी.	७,२०७२०	७,२०७२०	७,२०७२०	
५०	3) Aluminium sliding window without Ventilator from section (101x45x1.50)mm and 5mm glass	व. मी.	७,०९८१००	७,०९८१००	७,०९८१००	
५१	4) Aluminium sliding window with Ventilator from section (101x45x1.50)mm and 5mm glass	व. मी.	७,६४४१००	७,६४४१००	७,६४४१००	
५२	5) Aluminium sliding door section (101x45x1.50)mm with sash 40x45x1.5mm and 5mm glass	व. मी.	८,०८०१८०	८,०८०१८०	८,०८०१८०	
५३	6) Casement double panel aluminium windows with Ventilation section of (54x33x1.5)mm with sash 38x34x1.5mm and 5mm glass	व. मी.	७,६४४१००	७,६४४१००	७,६४४१००	
५४	7) Aluminium casement door section (101x45x1.1)mm sash 40x45x1.5mm & 5mm glass	व. मी.	१३,१०४१००	१३,१०४१००	१३,१०४१००	
५५	8) Aluminium swing door section of (101x45x1.1)mm & 5mm glass	व. मी.	८,३५३१८०	८,३५३१८०	८,३५३१८०	
५६	9) Aluminium sliding window 2 track section of (88x38x1.5)mm & 5mm glass	व. मी.	६,५५२१००	६,५५२१००	६,५५२१००	



Handwritten signatures and dates: ३१/०८/२०७३, १५/०८/२०७३, १५/०८/२०७३, १५/०८/२०७३, १५/०८/२०७३.

नारायण प्रसाद रिवाल  
प्रमुख जिल्ला अधिकारी

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
५७	10) Aluminium fixed window and partition with fixed ventilator from 9mm board and section (101x45x1.5)	व. मी.	६,५५२।००	६,५५२।००	६,५५२।००	
५८	11) Aluminium partition with 5mm thick glass and 9mm thick laminated board of section (101x45x1.1)	व. मी.	६,५५२।००	६,५५२।००	६,५५२।००	
५९	12) Aluminium partition with 5mm thick glass and 9mm thick laminated board of section (64x38x1.1)	व. मी.	६,११५।२०	६,११५।२०	६,११५।२०	
६०	Alluminium fixed panel window with ventilation but without fly mesh shutter from section (78mmx38.1mmx1.1mm) & glass 4.75-5mm	व. मी.	४,२३६।७५	४,२३६।७५	४,२३६।७५	
६१	Alluminium fixed panel window with ventilation but without fly mesh shutter from section (88mmx38.1mmx1.3mm) & glass 4.75-5mm	व. मी.	६,२१३।९०	६,२१३।९०	६,२१३।९०	
६२	Alluminium fixed panel window with ventilation with fly mesh shutter from section (88mmx38.1mmx1.3mm) & glass 4.75-5mm	व. मी.	७,६२६।१५	७,६२६।१५	७,६२६।१५	
६३	Alluminium framed sliding window without ventilator (Aluminium:- Natural anodised 101mmx45mmx1.5mm) & Glass 4.75-5mm clear	व. मी.	७,६२६।१५	७,६२६।१५	७,६२६।१५	
६४	भर्यागको रेलिंग तथा बारदलीमा कुँदिएको स्थानीय सिसो काठको हुडा (२"६"३"३")	गोटा		१,०८०।००	१,०८०।००	
६५	भर्यागको रेलिंग तथा बारदलीमा कुँदिएको स्थानीय सिसो काठको हेण्डरेल (३"४")	र.फी.		७२४।००	७२४।००	
६६	भर्यागको रेलिंगको घुम्ने टाउँमा कुँदिएको सिसो काठको गोली हेण्ड रेल (३"४")	गोटा		२,३६२।००	२,३६२।००	
६७	सालको काठको अखी झ्याल तयार	व.फि.		१,६२०।००	१,६२०।००	
६८	sisam Wood Parquetting 150mm*30 mm *8 mm	व.फि.		२२०।००	२२०।००	
६९	wall panneling with wood frame sisam wood (75 mm *16 mm)	व.फि.		५९९।००	५९९।००	
७०	<b>Expansion joint works</b>					
	Providing, chiping and plaster with mixing Perma Bond SBR modified mortar upto 40mm	व. मी.	७,२७८।६०	७,२७८।६०	७,२७८।६०	
	24 gauge alluminium sheet	व. मी.	९००।९०	९००।९०	९००।९०	
७१	<b>Land scaping works</b>					
	60mm interlocking cement concrete block M-20 grade	व. मी.	६१७।४०	६१७।४०	६१७।४०	
	70mm interlocking cement concrete block M-20 grade	व. मी.	७०९।८०	७०९।८०	७०९।८०	
	50 mm interlocking cement concrete block M-20 grade	व. मी.	५७५।००	५७५।००	५७५।००	
	80mm interlocking cement concrete block M-20 grade	व. मी.	७५०।००	७५०।००	७५०।००	
	Curve stone M-30 grade (45x38x15cm/piece)	मिटर	१,१९०।७०	१,१९०।७०	१,१९०।७०	
	Kerb stone(300mm*300mm*100mm) M20	गोटा		१२५।००	१२५।००	
	Kerb stone(300mm*300mm*150mm) M20	गोटा		२००।००	२००।००	
	Kerb stone(300mm*300mm*100mm) M25	गोटा		१५०।००	१५०।००	
	Kerb stone(300mm*300mm*150mm) M25	गोटा		२५०।००	२५०।००	
	Metalized polyester board (MPL) false ceiling plain	व. मी.	१,१०८।८०	१,१०८।८०	१,१०८।८०	
७२	50mm dia. Stainless steel handrail with 50mm dia. Post in 2m, interval with 25mm 3 nos. stainless steel pipe in horizontal with 3' height all complete.	मिटर	४,४६६।७०	४,४६६।७०	४,४६६।७०	
७३	<b>Aluminium Composite Panel (ACP)</b>					
	Providing and fixing ACP cladding on wall (Exterior) 3 mm thick ACP (0.25 mm Aluminium PVDF core) on 25*38mm Aluminium Tube Framing.	Sq. ft	३४९।६५	३४९।६५	३४९।६५	
	Providing and fixing ACP cladding on wall (Exterior) 4 mm thick ACP (0.25 mm Aluminium PVDF core) on 25*38mm Aluminium Tube Framing.	Sq. ft	४६९।३५	४६९।३५	४६९।३५	
	काठ बन्ध निर्माण सामग्रीहरु					
१	काठ चिरान सहित का. साल	घ.मी.	२१८,४००।००	२१८,४००।००	२१८,४००।००	
	ख) सिमौर दिक्	घ.मी.	१८५,६४०।००	१८५,६४०।००	१८५,६४०।००	
	घ) कू काठ	घ.मी.	६५,५२०।००	६५,५२०।००	६५,५२०।००	
२	गोलिया साल	घ.मी.	१४७,४२०।००	१४७,४२०।००	१४७,४२०।००	



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones in the center and right.

महोत्तरी प्रशासक सिसाल  
प्रमुख जिल्ला अधिकारी

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
३	गोलिया सीसौर टिक	घ.मी.	१३१,०४०।००	१३१,०४०।००	१३१,०४०।००	
४	गोलिया स्थानीय	घ.मी.	७०,९८०।००	७०,९८०।००	७०,९८०।००	
५	चिरान सहितको १" मोषो फल्याक					
	क) साल	व.मी.	५,६७८।४०	५,६७८।४०	५,६७८।४०	
	ख) सिर्सो	व.मी.	४,९९४।००	४,९९४।००	४,९९४।००	
	ग) कु काठ	व.मी.	१,६३८।००	१,६३८।००	१,६३८।००	
६	प्लाई उड					
	क) कमर्सियल					
	३ मी.मी.	प्र.व.मी.	१७७।४५	१७७।४५	१७७।४५	
	४ मी.मी.	प्र.व.मी.	३४३।९८	३४३।९८	३४३।९८	
	ख) वाटर प्रूफ प्लाइवुड					
	६ मी.मी.	प्र.व.मी.	६३०।६३	६३०।६३	६३०।६३	
	१२ मी.मी.	प्र.व.मी.	१,२६१।२६	१,२६१।२६	१,२६१।२६	
	१९ मी.मी.	प्र.व.मी.	१,६५१।१०	१,६५१।१०	१,६५१।१०	
	ग) टिक प्लाई वुड					
	३ मी.मी.	प्र.व.मी.	६००।६०	६००।६०	६००।६०	
	४ मी.मी.	प्र.व.मी.	६२७।९०	६२७।९०	६२७।९०	
	३) हार्डवोर्ड					
	४ मी.मी.	प्र.व.मी.	२८३।९२	२८३।९२	२८३।९२	
	१२ मी.मी.	प्र.व.मी.	६००।६०	६००।६०	६००।६०	
७	दाउरा	प्र.के.जी.				
८	सिसा प्लेन					
	क) ३ मी.मी. मोटो	प्र.व.मी.	६५५।२०	६५५।२०	६५५।२०	
	ख) ४ मी.मी. मोटो	प्र.व.मी.	८७३।६०	८७३।६०	८७३।६०	
	ग) ५ मी.मी. मोटो	प्र.व.मी.	९२८।२०	९२८।२०	९२८।२०	
	३) ६ मी.मी. मोटो	प्र.व.मी.	१,११९।३०	१,११९।३०	१,११९।३०	
९	सिसा रंगीन					
	क) ३ मी.मी. मोटो	प्र.व.मी.	६६६।१२	६६६।१२	६६६।१२	
	ख) ४ मी.मी. मोटो	प्र.व.मी.	८०८।०८	८०८।०८	८०८।०८	
	ग) ५ मी.मी. मोटो	प्र.व.मी.	९११।८२	९११।८२	९११।८२	
	३) ६ मी.मी. मोटो	प्र.व.मी.	१,१४६।६०	१,१४६।६०	१,१४६।६०	
१०	सदा सेतो सिसा					
	८ मि.मि.	ब.फी.	१५७।५०	१५७।५०	१५७।५०	
	१० मि.मि.	ब.फी.	१९९।५०	१९९।५०	१९९।५०	
	१२ मि.मि.	ब.फी.	२३१।००	२३१।००	२३१।००	
११	बुटदार सिसा					
	३ मि.मि.	ब.फी.	५०।८३	५०।८३	५०।८३	
	४ मि.मि.	ब.फी.	५९।४८	५९।४८	५९।४८	
१२	पाले फाइबर ग्लास					
	६ मि.मि.	ब.फी.	१६२।२३	१६२।२३	१६२।२३	
१३	काला रङ्गको सिसा					
	३ मि.मि.	ब.फी.	१००।८०	१००।८०	१००।८०	
	४ मि.मि.	ब.फी.	१०८।१५	१०८।१५	१०८।१५	
	५ मि.मि.	ब.फी.	१२६।००	१२६।००	१२६।००	
	६ मि.मि.	ब.फी.	१८९।००	१८९।००	१८९।००	
	८ मि.मि.	ब.फी.	२६२।५०	२६२।५०	२६२।५०	
	१० मि.मि.	ब.फी.	३६७।५०	३६७।५०	३६७।५०	
	१२ मि.मि.	ब.फी.	४२०।००	४२०।००	४२०।००	
१४	Tinted Float glass बाहिर बाट नदेखिने भित्रबाट देखिने					
	५।म।म. बाक्ला	ब.फी.	१२१।८०	१२१।८०	१२१।८०	
	अन्य निर्माण सामग्रीहरु					
१	सिमेन्टको जाली (ब्लक र पोस्ट)					
	१'६" x १'	प्र.गोटा	४९।१४	४९।१४	४९।१४	
	२' x १'६"	"	४३।६८	४३।६८	४३।६८	
	२' x २'	"	६५।५२	६५।५२	६५।५२	
२	RCC precast railing post	गोटा				
	२'६" long	"	१०९।२०	१०९।२०	१०९।२०	
	२'	"	८७।३६	८७।३६	८७।३६	
	१'६"	"	७०।९८	७०।९८	७०।९८	
	१'	"	४९।१४	४९।१४	४९।१४	
३	जुट	प्र.के.जी.				
	जुटको पुरानो बोरा	प्र.गोटा	९८।२८	९८।२८	९८।२८	
	जुटको नया बोरा (१०० केजी साइज)	"	४९।१४	४९।१४	४९।१४	
	सिमेन्टको नया बोरा	"	६५।५२	६५।५२	६५।५२	
	सिमेन्टको पुरानो बोरा	"	१७।४७	१७।४७	१७।४७	
	पोलिस्टुब ३" x ७"	प्र.के.जी.	३४९।४४	३४९।४४	३४९।४४	

*(Handwritten signature)*

*(Handwritten signature)*

*(Handwritten signature)*

*(Handwritten signature)*

*(Handwritten signature)*

कार्यालय प्रसाद रिवाल  
प्रमुख जिल्ला अधिकारी

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
	पोलिटिभ 4"×7"	प्र.के.जी.	३८२२०	३८२२०	३८२२०	
	पोलिटिभ 5"×8"	प्र.के.जी.		३८२२०	३८२२०	
४	हथौडा (विट समेत)	"	१३६१०	१४११०	१४११०	
५	कोदाली	"	२२९१३२	२२९१३२	२२९१३२	
६	पिक एक्स	"	२४०२४	२४०२४	२४०२४	
७	हेक्सो फेम	"	६००६	६००६	६००६	
८	हेक्सो बलेड	"	५४६	१८००	१८००	
९	तार ब्रस	"	२७३०	२७३०	२७३०	
१०	रंग लगाउने ब्रस	"	४३६८	४३६८	४३६८	
११	खर (१५ सेमी ३० सेमीका)	प्र.मण्डल	१६३८	१६३८	१६३८	
१२	धुन्से डोको	प्र.गोटा	१०९१२०	१०९१२०	१०९१२०	
१३	बासको टोकरा	"	५४६०	५४६०	५४६०	
१४	कचो/भारु	प्र.गोटा				
	क) अमरिसोको कचो	"	२७३०	२७३०	२७३०	
	ख) बावियोको कचो	"	२५१२	२५१२	२५१२	
	ग) नरीवलको कचो	"	२७३०	२७३०	२७३०	
१५	काठे कोडला २० केजी	प्र.व्याग	३२७६०	३२७६०	३२७६०	
१६	छाने नून	प्र.के.जी.	१७४७	२३८९	२३८९	
१७	कालो पाइप (टसको लागि)	प्र.के.जी.				
	लाइट क्लास	"	८९१४	८९१४	८९१४	
	हेभी क्लास	"	९८२८	९८२८	९८२८	
१८	लिनोनियम साधारण	व.मी.	१९११०	१९११०	१९११०	
	लिनोनियम कार्पेट	व.मी.	२०७४८	२०७४८	२०७४८	
१९	फारमाइका कार्पेट	"	८४०८४	८४०८४	८४०८४	
२०	पोलिथिन सिट ५०० गेज	"	१९६६	१९६६	१९६६	
२१	टारफेल्ड	"	१२०१२	१२०१२	१२०१२	
२२	डि.पी.सी.ग्रेड टाइफेल्ड	"	११४६६	११४६६	११४६६	
२३	सनमाइका	"	७५३४८	७५३४८	७५३४८	
२४	रबर सील २३० मी.मी.	र.मी.	५४६००	६८७९६	६८७९६	
	१५० एम.एम.	"	४३६८०	४३६८०	४३६८०	
	१५० मेत्रेन	"	२७३००	२७३००	२७३००	
२५	वाटर प्रूफ कमपाउन्ड पाउडर	किलो	४९१४	४९१४	४९१४	
२६	तेलिया ईटा	व.मी.	६५१२०	६५१२०	६५१२०	
२७	डेकरा बैगड वा भेटरा बैगड रुफ सिट	"	१,५२८८०	१,५२८८०	१,५२८८०	
२८	विटमिन अलकत्रा	के.जी.	१०९१२०	१०९१२०	१०९१२०	
	रंगरोगन सम्बन्धी निर्माण सामग्रीहरु					
१	सेतो सिमेन्ट	के.जी.	५४६०	५४६०	५४६०	
२	अर्गनालिक एसिड	लिटर	३६०३६	३६०३६	३६०३६	
३	मैन पोलिस	लिटर	४४७७२	४४७७२	४४७७२	
४	आइरन	के.जी.	३१६८	३१६८	३१६८	
५	खाक्सी काठको लागि	प्र.गोटा	१६३८	१६३८	१६३८	
६	खाक्सी फलामको लागि	प्र.गोटा	१५१२९	१५१२९	१५१२९	
७	चुना (कल्ली चुना)	प्र.के.जी.	३०१८	३०१८	३०१८	
८	वाटरप्रूफ सिमेन्ट पेन्ट (स्त्रोसियम) राम्रो	प्र.के.जी.	१३६१०	१३६१०	१३६१०	
९	डिस्टेम्पर पेन्ट (बासेबल डिस्टेम्पर) राम्रो	प्र.के.जी.	३७१२८	३७१२८	३७१२८	
१०	ड्राइ डिस्टेम्पर	प्र.के.जी.	६५१२	६५१२	६५१२	
११	रेडमेड इनामेल पेन्ट राम्रो	प्र.लि.	४५३१८	४५३१८	४५३१८	
१२	एन्मिनियम पेन्ट	प्र.लि.	४४७७२	४४७७२	४४७७२	
१३	क्वास्टिक इमल्सन पेन्ट	प्र.लि.	७२०७२	७२०७२	७२०७२	
	interior wall primer (weather coat)	प्र.लि.	१८०६०	१८०६०	१८०६०	
	Exterior wall primer (weather coat)	प्र.लि.	३२७६०	३२७६०	३२७६०	
१४	बार्निश पेन्ट	प्र.लि.	१८०१८	१८०१८	१८०१८	
१५	एन्फास्ट (अलकत्रा) पेन्ट	प्र.लि.	१८०१८	१८०१८	१८०१८	
१६	रेड अक्साइड पेन्ट	प्र.लि.	२०७४८	२०७४८	२०७४८	
१७	Plaster of paris paint	के.जी.	३२७६	३२७६	३२७६	
१८	Birla or JK putti paint	के.जी.	७५४४	७५४४	७५४४	
१९	वेदरकोट पेन्ट (एपेन्स)	लिटर	७६४४०	७६४४०	७६४४०	
२०	उड प्राइमर (अस्तर) पेन्ट	प्र.लि.	३२७६०	३२७६०	३२७६०	
२१	लिन्सिड आयल	प्र.लि.	१३६१०	१३६१०	१३६१०	
२२	रामरस माटो	प्र.के.जी.	२१८४	२१८४	२१८४	
२३	रामरस	लिटर	३८२२	३८२२	३८२२	
२४	गेह रंग (टेरा क्रोटा)	लिटर	३००३०	३००३०	३००३०	
२५	हरी रंग २ मी., ३ मी.	लिटर	३००३०	३००३०	३००३०	
२६	गुद (गम)	लिटर	१६९१६	१६९१६	१६९१६	
२७	पुटिंग पाउडर	लिटर	१०९१२०	१०९१२०	१०९१२०	
२८	खली (चक)	लिटर	१७४७	१७४७	१७४७	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones on the right.

कार्यालय प्रकाश रिवाल  
प्रमुख जिल्ला अधिकारी

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
२९	चप्रा	के.जी.	६११।५२	६११।५२	६११।५२	
३०	म्रीट	लिटर	१९१।१०	१९१।१०	१९१।१०	
३१	अलकन्या पेन्ट बिटुमीनब्लैक पेन्ट	लिटर	२२९।३२	२२९।३२	२२९।३२	
३२	वाटर पुर्फिंग कमपाउन्ड	प्र.के.जी.	१३१।०४	१३१।०४	१३१।०४	
३३	जड प्रिजरभेटिम पेन्ट	लिटर	२५१।१६	२५१।१६	२५१।१६	
३४	नीर (निल)	के.जी.	१३१।०४	१३१।०४	१३१।०४	
३५	काठ, प्लाड जड टाम्ने गम फेबोक्ल	के.जी.	२४५।७०			
३६	रफ मेटल पुटिंग	के.जी.	१९१।१०	१९१।१०	१९१।१०	
३७	टारपन्टाइन तेल	लिटर	१३६।५०	१३६।५०	१३६।५०	
३८	Exterior wall primer	लिटर	२४९।९०	२४९।९०	२४९।९०	
३९	Emulsion paint/Distemper(Ktm's rate)					
४०	Interior wall primer	लिटर	१८०।६०	१८०।६०	१८०।६०	
४१	wall putty Normal	के.जी.		३५।००	३५।००	
४२	wall putty water proof	के.जी.		६०।००	६०।००	
४३	समाइका (४"८")	ब.फी.		१८।००	१८।००	
४४	फोर्माइका	ब.फी.		८०।००	८०।००	
४५	Head Works ,Head Regulator ,Gear System Gate	kg		४००।००	४००।००	
	छाना छाउने सामग्री					
१	सी.जी.आई.सीट (ककट पाता)	प्र.व.मी.	Plain / Coloured	Plain / Coloured	Plain / Coloured	
	क) २२ गेजको	प्र.व.मी.	८५८ ९८८	८५८ ९८८	८५८ ९८८	
	ख) २४ गेजको	प्र.व.मी.	८३२ ८८४	८३२ ८८४	८३२ ८८४	
	ग) २६ गेजको	प्र.व.मी.	७८० ८८४	७८० ८८४	७८० ८८४	
	घ) २८ गेजको	प्र.व.मी.	६७६ ८३२	६७६ ८३२	६७६ ८३२	
	ड) ३० गेजको	प्र.व.मी.	६५० ७०२	६५० ७०२	६५० ७०२	
२	जी.आई. प्लेन सीट	प्र.व.मी.				
	क) २२ गेजको	प्र.व.मी.	७०९।८०	७०९।८०	७०९।८०	
	ख) २४ गेजको	प्र.व.मी.	६५५।२०	६५५।२०	६५५।२०	
	ग) २६ गेजको	प्र.व.मी.	५७३।३०	५७३।३०	५७३।३०	
	घ) २८ गेजको	प्र.व.मी.	५०२।३२	५०२।३२	५०२।३२	
	ड) ३० गेजको	प्र.व.मी.	४९१।४०	४९१।४०	४९१।४०	
	च) ३२ गेजको	प्र.व.मी.	३४३।९८	३४३।९८	३४३।९८	
३	जे हक यू हक	गोटा	४३६८	४३६८	४३६८	
४	C.G.I. Sheet Commercial coated	प्र.व.मी.				
	26 guage	प्र.व.मी.	४०९।५०	४०९।५०	४०९।५०	
	28 guage	प्र.व.मी.	३८२।२०	३८२।२०	३८२।२०	
५	C.G.I. Sheet medium coated	प्र.व.मी.				
	24 guage	प्र.व.मी.	५१८।७०	५१८।७०	५१८।७०	
	26 guage	प्र.व.मी.	४८५।९४	४८५।९४	४८५।९४	
	28 guage	प्र.व.मी.	४१४।९६	४१४।९६	४१४।९६	
६	छाप्ने ढुगा	व.मी.				
	१० मी.मी. बाक्लो	व.मी.	१,०९२।००	१,०९२।००	१,०९२।००	
	३० मी.मी. बाक्लो	व.मी.	१,०३७।४०	१,०३७।४०	१,०३७।४०	
	२४ मी.मी. बाक्लो	व.मी.	९८२।८०	९८२।८०	९८२।८०	
७	काठको लिप्टी	र.मी.	१४२०	१४२०	१४२०	
८	छानामा टाइलको बुझा काट्ने र पानी पट्टी कार्य					
	छानामा १:४ भागको सिमन्ट मसला तयार गरा खट राखा					
९	१" बाक्लो प्लास्टरमा रफिंग टायलको बुझा काट्ने समान सहित	व.मि.	६५४।१५	६५४।१५	६५४।१५	
१०	१" साइडको १:३ भागको मिश्रणको मसला तयार गरी खट राखी वासतिको पानी पट्टि बनाउने काम	र.मि.	७८।७५	७८।७५	७८।७५	
११	१:४ मसलाको प्लास्टरमा डिजाइन अनुसार परमपरगत तरिकाले बुझा काट्ने काम समान सहित	प्र.व.मी.		३,३३२।६५	३,३३२।६५	
१२	Ready made Teak wood Doors (Seasoned and Poisoned treated)( Excluding the cost of fitting, transportation,Painting)					
१३	Ready Made Shutter Recon, Ordinary ( 1 side teak )	व.फी.	१८२।७०	१८२।७०	१८२।७०	
१४	Ready made door shutter Recon, Special ( 1 side teak )	व.फी.	२४८।८५	२४८।८५	२४८।८५	
१५	One side water proof Ply fitting					
१६	Ready made door shutter recon, ordinary ( 1 side teak )	व.फी.	२०८।९५	२०८।९५	२०८।९५	
१७	Ready made door shutter Recon,Special ( 1 side teak )	व.फी.	२८१।४०	२८१।४०	२८१।४०	
	स्यानिटरी फिटिंगका सामग्रीहरु					
१	इन्चु सी प्यान (पोर्बनीन ब्ले टुवाइनेट प्यान, साइफन, फूट रेट, टुवाप सयत)					



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

नारायण प्रसाद रिसाल  
प्रमुख जिल्ला अधिकारी

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
	क) १८ इनच साइज (रात्रो)	सेट	१,६३८।००	१,६३८।००	१,६३८।००	
	ख) २० इनच साइज रात्रो	सेट	१,८५६।४०	१,८५६।४०	१,८५६।४०	
	ग) २२ इनच साइज रात्रो	सेट	१,९९८।३६	१,९९८।३६	१,९९८।३६	
	उडिसा पेन २१ इनच	सेट	२,८६६।४०	२,८६६।४०	२,८६६।४०	
२	स्थानीय पेन साइफन समेत	सेट	८७३।६०	८७३।६०	८७३।६०	
३	प्लेन) local	सेट	३,०५७।६०	३,०५७।६०	३,०५७।६०	
४	कमोड (पोर्सलीन ब्ले टवाइलेट कमोड क्रम्पलिट सेट रंगिन) local	सेट	३,८२२।००	३,८२२।००	३,८२२।००	
५	कमोड कभर	सेट	७६४।४०	७६४।४०	७६४।४०	
६	supplying of White Viterous Flexo Washdown one piece commode with soft closing seat cover size(715*360*710 mm ) made of sanitary ceramics with connection pipe and angle valve	सेट		२४,८००।००	२४,८००।००	
	white glazed porcelian clay Ewc wall mounted commode without cistern all complete	सेट		५,२५२।००	५,२५२।००	
	white glazed porcelian clay Ewc floor mounted commode without cistern all complete	सेट		८,६५६।००	८,६५६।००	
	EWC regular constellation commode with s and P trap all complete	सेट		१८,११९।००	१८,११९।००	
	600 to 900 mm grab bar	सेट		६,०६२।००	६,०६२।००	
	Procelain Clay white glaze large flat back urinal 61*41*37 cm	सेट		४,१४७।००	४,१४७।००	
	Urinal Partition white glazed porcelain Clay (68*30) cm diversion plate	सेट		१,६९०।००	१,६९०।००	
७	क) सिस्टर्न (पोर्सलीन ब्ले) फ्लोसिंग सिस्टर्न					
	अ) लो लेभल	सेट	३,८२२।००	३,८२२।००	३,८२२।००	
	आ) हाइ लेभल	सेट	३,०५७।६०	३,०५७।६०	३,०५७।६०	
	ख) वास बेसिन पोर्सलीन ग्लेज्ड					
८	क) १८ " * १६ " साइज	सेट	२,२९३।२०	२,२९३।२०	२,२९३।२०	
	ख) २० " * १६ " साइज	सेट	२,८३९।२०	२,८३९।२०	२,८३९।२०	
	ग) २२ " * १६ " साइज	सेट	२,४०२।४०	२,४०२।४०	२,४०२।४०	
९	वास बेसिन पोर्सलीन ग्लेज्ड रंगीन 22" * 16"	सेट	३,४९४।४०	३,४९४।४०	३,४९४।४०	
१०	सिंक पोर्सलीन ग्लेज्ड	सेट	४,१४९।६०	४,१४९।६०	४,१४९।६०	
	क) स्टील सिंक घट्टु ८ इन्च	सेट	३,३८५।२०	३,३८५।२०	३,३८५।२०	
	ख) स्टील सिंक सिंगल	सेट	२,७३०।००	२,७३०।००	२,७३०।००	
११	यूरिनल पोर्सलीन ग्लेज्ड क्रम्पलिट सेट जेन्टस	सेट	१,९६५।६०	१,९६५।६०	१,९६५।६०	
१२	यूरिनल पोर्सलीन ग्लेज्ड क्रम्पलिट सेट लेडिज	सेट	२,४०२।४०	२,४०२।४०	२,४०२।४०	
१३	टाबेल रड स्टीलको					
	क) १८ " लामो	गोटा	३८२।२०	३८२।२०	३८२।२०	
	ख) ९ " लामो	गोटा	२४०।२४	२४०।२४	२४०।२४	
१४	Floor trap grating 4"	गोटा				
	Brass	गोटा	७६।४४	७६।४४	७६।४४	
	steel	गोटा	६५।४२	६५।४२	६५।४२	
	PVC	गोटा	२१।८४	२१।८४	२१।८४	
१५	Floor trap grating 3"	गोटा				
	Brass	गोटा	५४।६०	५४।६०	५४।६०	
	steel	गोटा	४३।६८	४३।६८	४३।६८	
	PVC	गोटा	१६।३८	१६।३८	१६।३८	
१६	Floor trap grating 2"	गोटा				
	Brass	गोटा	४३।६८	४३।६८	४३।६८	
	steel	गोटा	३२।७६	३२।७६	३२।७६	
	PVC	गोटा	१५।२९	१५।२९	१५।२९	
१७	नोप डिस्क	गोटा				
	क) स्टील	गोटा	२२३।८६	२२३।८६	२२३।८६	
	ख) पोर्सलिन ग्लेज्ड	गोटा	४१४।९६	४१४।९६	४१४।९६	
	ग) प्लास्टिक	गोटा	५४।६०	५४।६०	५४।६०	
१८	ग्लास सेल्फ	गोटा	१,२०१।२०	१,२०१।२०	१,२०१।२०	
१९	लुकिंग मिरर ब्राइकेट समेत	गोटा				
१९	क) 22" * 16" साइज	गोटा	७०९।८०	७०९।८०	७०९।८०	
	ख) 18" * 14" साइज	गोटा	६००।६०	६००।६०	६००।६०	
	ग) 18" * 12" साइज	गोटा	४९१।४०	४९१।४०	४९१।४०	
२०	टवाइलेट पेपर होल्डर	गोटा	२७३।००	२७३।००	२७३।००	
२१	सावर रोज फेन्सी टाइप	गोटा	८१९।००	८१९।००	८१९।००	
२२	सावर रोज साधारण	गोटा	४३६।८०	४३६।८०	४३६।८०	
२३	पुस भल्भ सिस्टर्न (गान मेटल)	गोटा	१,३९०।४०	१,३९०।४०	१,३९०।४०	
२४	वेस्ट पाइप ५ इनच... १ इनच सम्म	गोटा	२४५।७०	२४५।७०	२४५।७०	
२५	वेस्ट कपलिंग (वास बेसिनको)	गोटा	३८२।२०	३८२।२०	३८२।२०	
२६	लिड पाइप (वास बेसिनका)	गोटा	२१८।४०	२१८।४०	२१८।४०	



Handwritten signatures and dates at the bottom of the page, including a date '3/12/20' and a signature 'Suman'.

प्रमुख जिल्ला अधिकारी  
महोत्तरी जिल्ला



क्र. न.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
	4" dia. (15.47 kg/Sq.cm)	र. मि.	१,३१८।०	१,३१८।०	१,३१८।०	
	6" dia. (12.66 kg/Sq.cm)	र. मि.	२,७४६।०	२,७४६।०	२,७४६।०	
३९	PVC Fittings					
	PVC Tee - Soc					
	1/2"	गोटा	३३६।०	३३६।०	३३६।०	
	3/4"	गोटा	४६२।०	४६२।०	४६२।०	
	1"	गोटा	७२।४५	७२।४५	७२।४५	
	1-1/4"	गोटा	११४।४५	११४।४५	११४।४५	
	1-1/2"	गोटा	१५०।१५	१५०।१५	१५०।१५	
	22"	गोटा	२३२।०५	२३२।०५	२३२।०५	
	2-1/2"	गोटा	६६४।६५	६६४।६५	६६४।६५	
	3"	गोटा	८७२।५५	८७२।५५	८७२।५५	
	4"	गोटा	१,५७८।१५	१,५७८।१५	१,५७८।१५	
	6"	गोटा	८,७५२।००	८,७५२।००	८,७५२।००	
४०	PVC Reducer Tee - Soc					
	3/4 x 1/2	गोटा	६६।१५	६६।१५	६६।१५	
	1 x 1/2	गोटा	१०१।८५	१०१।८५	१०१।८५	
	1 x 3/4	गोटा	१०१।८५	१०१।८५	१०१।८५	
	1-1/2 x 1/2	गोटा	३४५।४५	३४५।४५	३४५।४५	
	1-1/2 x 3/4	गोटा	३४५।४५	३४५।४५	३४५।४५	
	1-1/2 x 1	गोटा	३४५।४५	३४५।४५	३४५।४५	
	1-1/2 x 1-1/4	गोटा	३४५।४५	३४५।४५	३४५।४५	
	2 x 1/2	गोटा	४२६।३०	४२६।३०	४२६।३०	
	2 x 3/4	गोटा	४२६।३०	४२६।३०	४२६।३०	
	2 x 1	गोटा	४२६।३०	४२६।३०	४२६।३०	
	2 x 1-1/4	गोटा	४२६।३०	४२६।३०	४२६।३०	
	2 x 1-1/2	गोटा	४२६।३०	४२६।३०	४२६।३०	
	2-1/2 x 1/2	गोटा	१,०९५।१५	१,०९५।१५	१,०९५।१५	
	2-1/2 x 3/4	गोटा	१,०९५।१५	१,०९५।१५	१,०९५।१५	
	2-1/2 x 1	गोटा	१,०९५।१५	१,०९५।१५	१,०९५।१५	
	2-1/2 x 1-1/4	गोटा	१,०९५।१५	१,०९५।१५	१,०९५।१५	
	2-1/2 x 1-1/2	गोटा	१,०९५।१५	१,०९५।१५	१,०९५।१५	
	2-1/2 x 2	गोटा	१,०९५।१५	१,०९५।१५	१,०९५।१५	
४१	Cemented floor tile 10"x10"					
	Plain	no.	२१।८४	२१।८४	२१।८४	
	Coloured	no.	२६।४३	२६।४३	२६।४३	
४२	Fencing pole 6' long with 8 mm reinforcement	no.	३००।३०	६००।००	६००।००	
	Fencing pole 7' long with 8 mm reinforcement	no.	३६०।३६	७००।००	७००।००	
४३	Safe Crete	lit.	२६।४२६	२६।४२६	२६।४२६	
४४	Safe Mite	lit.	३४।८३५	३४।८३५	३४।८३५	
४५	Geotextiles (2000 Terem)	Sqm	१९१।१०	१९१।१०	१९१।१०	
४६	Geotextiles (1000 Terem)	Sqm	१६३।८०	१६३।८०	१६३।८०	
	Gunny bag	गोटा	७६।४४	७६।४४	७६।४४	
	जिवो बेग (1.00x0.60)m.	गोटा	४१।०।०५	४१।०।०५	४१।०।०५	
	नाईसन क्रेट	गोटा	१,७४।७२०	१,७४।७२०	१,७४।७२०	
४७	Joint filler	kg.	१,२०।१२०	१,२०।१२०	१,२०।१२०	
४८	Joint sealer	kg.	१९१।१०	१९१।१०	१९१।१०	
४९	Epoxy binding agent	No.	४९१।४०	४९१।४०	४९१।४०	
५०	Concrete (1.1.45.2.65) with microseal superpl.	Cum.	१६,८१६।८०	१६,८१६।८०	१६,८१६।८०	
५१	Expansion joint cilent	Rm	१,१९।०।२८	१,१९।०।२८	१,१९।०।२८	
५२	Carbon fiber UPVC roofing sheet including cost of materials and labour fitting all complete					
	3mm	Sqm	१,८०।१।८०	१,८०।१।८०	१,८०।१।८०	
	2mm	Sqm	१,३६५।००	१,३६५।००	१,३६५।००	
५३	3coat Dr.fixit"New coat" over primer	Sqm	८५१।७६	८५१।७६	८५१।७६	
५४	2mm th.Dr.fixit" Touchshield" over primer	Sqm	७६९।८६	७६९।८६	७६९।८६	
५५	2coat Dr.fixit" pidifin 2k"	Sqm	४७।७४	४७।७४	४७।७४	
५६	2coat dr. fixit" super create"	Sqm	५८९।६८	५८९।६८	५८९।६८	
५७	2coat Dr.fixit" bioshield" over primer	Sqm	२६२।०८	२६२।०८	२६२।०८	
५८	2coat Dr.fixit "Hygiene coat" over primer	Sqm	२१८।४०	२१८।४०	२१८।४०	
५९	2coat Dr.fixit" birla putty"	Sqm	१४४।१४	१४४।१४	१४४।१४	
६०	2coat Epoxy coating over primer	Sqm	१,५२८।८०	१,५२८।८०	१,५२८।८०	
६१	UPVC roofing sheet	Sqm	As Factory Rate	As Factory Rate	As Factory Rate	
६२	Pioneer cable	rm	As Factory Rate	As Factory Rate	As Factory Rate	
६३	Expansion joint works					
	SBR modified mortar upto 40mm wide on levelling all complete. Providing and laying thernaeocl in the hole.	व. मी.	७,२७८।६०	७,२७८।६०	७,२७८।६०	
	24 gauge alluminium sheet	व. मी.	९००।९०	९००।९०	९००।९०	



प्रमुख जिल्ला अधिकारी  
 महोत्तरी जिल्ला

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट									कैफियत	
			२०८०-०८१			२०८१-०८२			२०८२-०८३				
६४	Land scaping works												
१	kerb stone M-30 grade (45x38x15cm/piece)	मिटर			१,१९०।७०			१,१९०।७०					१,१९०।७०
२	Aerolite AAC block(550 kg/m3),3N/mm2 strength												
	600*200*100	गोटा			१५०।००			१५०।००					१५०।००
	600*200*150	गोटा			२३०।००			२३०।००					२३०।००
	600*200*200	गोटा			३००।००			३००।००					३००।००
६५	Double Wall Corrugated (SN8) pipes for Sewage and Rain water												
	100 mm (4 inch)	मिटर			५०३।७५			५०३।७५					५०३।७५
	150 mm (6 inch)	मिटर			१,०४६।२५			१,०४६।२५					१,०४६।२५
	200 mm (8 inch)	मिटर			१,५५०।००			१,५५०।००					१,५५०।००
	250 mm (10 inch)	मिटर			२,०१५।००			२,०१५।००					२,०१५।००
	300 mm (12 inch)	मिटर			२,६२६।७५			२,६२६।७५					२,६२६।७५
	400 mm (16 inch)	मिटर			३,९५२।५०			३,९५२।५०					३,९५२।५०
	500 mm (20 inch)	मिटर			५,४२५।००			५,४२५।००					५,४२५।००
	600 mm (24 inch)	मिटर			६,५२५।००			६,५२५।००					६,५२५।००
	800 mm (32 inch)	मिटर			१२,४००।००			१२,४००।००					१२,४००।००
	1000 mm (40 inch)	मिटर			१८,१३५।००			१८,१३५।००					१८,१३५।००
६६	Class 500 PVC-O Pipes for Pressurized water supply												
			PN12.5	PN16	PN25	PN12.5	PN16	PN25	PN12.5	PN16	PN25		
	90 mm	मिटर	५६५।७५	६६२।४७	१३१।७५	५६५।७५	६६२।४७	१३१।७५	५६५।७५	६६२।४७	१३१।७५		
	110 mm	मिटर	८९१।२५	९७६।५०	१९३।७५	८९१।२५	९७६।५०	१९३।७५	८९१।२५	९७६।५०	१९३।७५		
	125 mm	मिटर	११२३।७५	१२०१।२५	२०९।२५	११२३।७५	१२०१।२५	२०९।२५	११२३।७५	१२०१।२५	२०९।२५		
	140 mm	मिटर	१३५६।२५	१५११।२५	२४०।२५	१३५६।२५	१५११।२५	२४०।२५	१३५६।२५	१५११।२५	२४०।२५		
	160 mm	मिटर	१७०५।००	२०१५।००	१९४।००	१७०५।००	२०१५।००	१९४।००	१७०५।००	२०१५।००	१९४।००		
	200 mm	मिटर	२७१।२५	३१०।००	४२६।२५	२७१।२५	३१०।००	४२६।२५	२७१।२५	३१०।००	४२६।२५		
	225 mm	मिटर	३४१।००	३८३।२५	५१९।२५	३४१।००	३८३।२५	५१९।२५	३४१।००	३८३।२५	५१९।२५		
	250 mm	मिटर	४०३।००	४८८।२५	६५८।७५	४०३।००	४८८।२५	६५८।७५	४०३।००	४८८।२५	६५८।७५		
	315 mm	मिटर	६५८।७५	७४४।००	१००।७५	६५८।७५	७४४।००	१००।७५	६५८।७५	७४४।००	१००।७५		
	355 mm	मिटर	८३७।००	९८४।२५	१२४।००	८३७।००	९८४।२५	१२४।००	८३७।००	९८४।२५	१२४।००		
	400 mm	मिटर	१०८५।००	१२४०।००	१५८।७५	१०८५।००	१२४०।००	१५८।७५	१०८५।००	१२४०।००	१५८।७५		
	450 mm	मिटर	१४७२।५०	१७४३।७५	२३२।५०	१४७२।५०	१७४३।७५	२३२।५०	१४७२।५०	१७४३।७५	२३२।५०		
	500 mm	मिटर	१७५९।२५	२१३१।२५	२९४।५०	१७५९।२५	२१३१।२५	२९४।५०	१७५९।२५	२१३१।२५	२९४।५०		
	630 mm	मिटर	२७९।००	३६०।३७५	४४१।७५	२७९।००	३६०।३७५	४४१।७५	२७९।००	३६०।३७५	४४१।७५		
	800 mm	मिटर	४४९५।००	५८१।२५	१००।००	४४९५।००	५८१।२५	१००।००	४४९५।००	५८१।२५	१००।००		
	1000 mm	मिटर	८५२।५०	९३०।००		८५२।५०	९३०।००		८५२।५०	९३०।००			
	1200 mm	मिटर	११६२।५०	१३५६।२५		११६२।५०	१३५६।२५		११६२।५०	१३५६।२५			
६७	FITOM PVC -O Fittings-PN16												
	Elbow 11.25°-size 110	प्रति गोटा			५,७६।१०			५,७६।१०			५,७६।१०		
	Elbow 11.25°-size 160	प्रति गोटा			१२,४१।७२			१२,४१।७२			१२,४१।७२		
	Elbow 11.25°-size 200	प्रति गोटा			२२,८०।७२			२२,८०।७२			२२,८०।७२		
	Elbow 11.25°-size 250	प्रति गोटा			३४,७२।५८			३४,७२।५८			३४,७२।५८		
	Elbow 11.25°-size 315	प्रति गोटा			६६,५६।७५			६६,५६।७५			६६,५६।७५		
	Elbow 11.25°-size 400	प्रति गोटा			१२४,२५।१३			१२४,२५।१३			१२४,२५।१३		
	Elbow 22.5 degree												
	Elbow 22.5° - Size 110	प्रति गोटा			५,९४।७५			५,९४।७५			५,९४।७५		
	Elbow 22.5° - Size 160	प्रति गोटा			१३,१०।७२			१३,१०।७२			१३,१०।७२		
	Elbow 22.5° - size 200	प्रति गोटा			२३,७९।५५			२३,७९।५५			२३,७९।५५		
	Elbow 22.5°-size 250	प्रति गोटा			३६,११।७२			३६,११।७२			३६,११।७२		
	Elbow 22.5°-size 315	प्रति गोटा			६९,२३।५२			६९,२३।५२			६९,२३।५२		
	Elbow 22.5°-size 400	प्रति गोटा			१२९,२२।४६			१२९,२२।४६			१२९,२२।४६		
	Elbow 45 degree												
	Elbow 45° size 110	प्रति गोटा			६,५७।१८			६,५७।१८			६,५७।१८		
	Elbow 45° - Size 160	प्रति गोटा			१४,३९।१३			१४,३९।१३			१४,३९।१३		
	Elbow 45° - Size 200	प्रति गोटा			२६,०८।५८			२६,०८।५८			२६,०८।५८		
	Elbow 45°-size 250	प्रति गोटा			४२,७८।२८			४२,७८।२८			४२,७८।२८		
	Elbow 45°-size 315	प्रति गोटा			७५,९१।४७			७५,९१।४७			७५,९१।४७		
	Elbow 45° size 400	प्रति गोटा			१४७,०५।१४			१४७,०५।१४			१४७,०५।१४		
	Elbow 90 degree												
	Elbow 90°-size 110	प्रति गोटा			९,३३।५५			९,३३।५५			९,३३।५५		
	Elbow 90°-size 160	प्रति गोटा			१८,७०।५२			१८,७०।५२			१८,७०।५२		

प्रमुख जिल्ला अधिकारी

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
	Elbow 90° size 200	प्रति गोटा	३३,६४८।४९	३३,६४८।४९	३३,६४८।४९	
	Elbow 90° size 250	प्रति गोटा	४६,०४६।१६	४६,०४६।१६	४६,०४६।१६	
	Elbow 90° size 315	प्रति गोटा	८७,२९५।९५	८७,२९५।९५	८७,२९५।९५	
	Elbow 90° -size 400	प्रति गोटा	१७४,९९,२।९२	१७४,९९,२।९२	१७४,९९,२।९२	
	<b>coupler</b>					
	Coupler -size 110	प्रति गोटा	५,७०३।३८	५,७०३।३८	५,७०३।३८	
	Coupler -size 160	प्रति गोटा	१०,१७०।२९	१०,१७०।२९	१०,१७०।२९	
	Coupler -size 200	प्रति गोटा	१४,७००।३२	१४,७००।३२	१४,७००।३२	
	Coupler- size 250	प्रति गोटा	२७,५११।३८	२७,५११।३८	२७,५११।३८	
	Coupler -size 315	प्रति गोटा	४२,१५४।७८	४२,१५४।७८	४२,१५४।७८	
	Coupler -size 400	प्रति गोटा	११५,५९,७।४५	११५,५९,७।४५	११५,५९,७।४५	
	Sliding Coupler -size 110	प्रति गोटा	५,७०३।३८	५,७०३।३८	५,७०३।३८	
	Sliding Coupler -size 160	प्रति गोटा	१०,१७०।२९	१०,१७०।२९	१०,१७०।२९	
	Sliding Coupler-size 200	प्रति गोटा	१४,७००।३२	१४,७००।३२	१४,७००।३२	
	Sliding Coupler-size 250	प्रति गोटा	२७,५११।३८	२७,५११।३८	२७,५११।३८	
	Sliding Coupler size 315	प्रति गोटा	४२,१५४।७८	४२,१५४।७८	४२,१५४।७८	
	Sliding Coupler-size 400	प्रति गोटा	११५,५९,७।४५	११५,५९,७।४५	११५,५९,७।४५	
	<b>Reducing coupler</b>					
	Reducing Coupler - size 110 to 90	प्रति गोटा	७,१२५।५३	७,१२५।५३	७,१२५।५३	
	Reducing Coupler - size 160 to 110	प्रति गोटा	११,६९६।३९	११,६९६।३९	११,६९६।३९	
	Reducing Coupler - size 200 to 160	प्रति गोटा	११,७२९।८१	११,७२९।८१	११,७२९।८१	
	Reducing Coupler -size 250 to 200	प्रति गोटा	२०,२३२।९०	२०,२३२।९०	२०,२३२।९०	
	Reducing Coupler - size 315 to 250	प्रति गोटा	४५,१९२।६४	४५,१९२।६४	४५,१९२।६४	
	Reducing Coupler - size 400 to 315	प्रति गोटा	९३,८०८।८१	९३,८०८।८१	९३,८०८।८१	
	<b>Other Materials :</b>					
१	Metalized polyster board (MPL) false ceiling plain	व. मी.	१,१०८।८०	१,१०८।८०	१,१०८।८०	
२	50mm dia. Stainless steel handrail with 50mm dia. Post in 2m, interval with 25mm 3 nos. stainless steel pipe in horizontal with 3' height all complete	मिटर	४,४६६।७०	४,४६६।७०	४,४६६।७०	
३	Gypsum board ceiling 12.5mm th. With providing, fitting, fixing under GI frame (600*600mm) finishing of joints with compound and tape all complete work	Sqm	९५५।५०	९५५।५०	९५५।५०	
४	Aluminium casement window double, panel with 4mm, thick glass with ventilator size 54*38*1.5 mm all complete work	Sqm	७,३१६।४०	७,३१६।४०	७,३१६।४०	
५	Aluminium casement door with material agrano or equivalent in section 101*45*1.5 in naturally anodised colour with 5mm glass all complete work	Sqm	११,४६६।००	११,४६६।००	११,४६६।००	
६	UPVC Roofing sheet ( 3mm thick )					
७	PMMA coating and mesh (Regular )	Sq.m	१,५८१।३०	१,५८१।३०	१,५८१।३०	
८	Stone coated ( 18 inch X 4 feet)	Sq.m	१,२६०।००	१,२६०।००	१,२६०।००	
९	Ridge cover regular profile 1.10 R.m	Rm	२,०२१।२५	२,०२१।२५	२,०२१।२५	
१०	Ridge cover Regular profile 1.05 R.m	Rm	२,०२१।२५	२,०२१।२५	२,०२१।२५	
११	UPVC clip	no.	२७३०	२७३०	२७३०	
१२	Self tapping screw 3"	no.	३१५०	३१५०	३१५०	
१३	Self tapping screw 2.2"	no.	२१००	२१००	२१००	
१४	Self tapping screw 2"	no.	११५५	११५५	११५५	
१५	Self tapping screw 1.5"	no.	८१३	८१३	८१३	
१६	Eco-UPVC Roofing Scheet ( Ultra Modern Technology )					
१७	Corugated scheet (2mm)	Sq.ft.	६९।६९	६९।६९	६९।६९	
१८	Corugated ridge (2mm) ( 3' X 1.4')	no.	७८२।३९	७८२।३९	७८२।३९	
१९	Corugated ridge Side (2mm) ( 3' X 1.4')	no.	४७०।१८	४७०।१८	४७०।१८	
२०	Spanish tile without fiber mesh (3mm)	Sq.ft.	१०६।८६	१०६।८६	१०६।८६	
२१	Spanish tile with fiber mesh (3mm)	Sq.ft.	११६।१५	११६।१५	११६।१५	
२२	Spanish ridge (3mm) (3'X1.4')	no.	१,४१०।५३	१,४१०।५३	१,४१०।५३	
२३	Spanish ridge side (3mm) (3'X1.4')	no.	७८२।३९	७८२।३९	७८२।३९	
२४	Spanish tile tripod (3mm)	no.	१,०४६।२८	१,०४६।२८	१,०४६।२८	
२५	Clip Set	no.	९।२९	९।२९	९।२९	
२६	Supply and erection of different mm th. Cement base preabricated everst solid wall panel (RAPION) Non asbestors including 1,1 mm thick GI hennel ( 50X25X20 ) mm with necessary assessoris and fting charge in partation wall all complete.					
	75 mm thick	Sq.ft.	३१।७१०	३१।७१०	३१।७१०	
	50 mm thick	Sq.ft.	२५।०१५	२५।०१५	२५।०१५	
२७	False Ceiling/Partition clading ( सम्बन्धित उत्पादक राष्ट्रको गुणस्तर विनू प्राप्त )					
२८	Supplying,making,fixing of false ceiling with everst fiber or Equivalent designer board in E-grid	Sq.ft.	९।७६५	९।७६५	९।७६५	



Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and a circular official stamp on the right.

क्र.न.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
२९	Supplying,making,fixing of 70 mm thick exterior with full height of partiation with fiber cement board	Sq.ft.	२९२१५	२९२१५	२९२१५	
३०	Supplying,making,fixing of 66 mm thick exterior with full height of partiation with fiber cement board	Sq.ft.	२५६१२०	२५६१२०	२५६१२०	
३१	Supplying,making,fixing of 91 mm thick exterior with full height of partiation with fiber cement board	Sq.ft.	३२६१५५	३२६१५५	३२६१५५	
३२	Supplying,making,fixing of exernal cladding with 9 mm HD/7.5 mm sliding board.	Sq.ft.	२८७७०	२८७७०	२८७७०	
३३	Supplying,making,fixing of 50 mm thick full height of partation with RAPICON wall panels.	Sq.ft.	२२७८५	२२७८५	२२७८५	
३४	Supplying,making,fixing of 75 mm thick full height of partation with RAPICON wall panels	Sq.ft.	३०२१४०	३०२१४०	३०२१४०	
३५	6 mm thick Flex-O board ( Water proof cement board ) 6mm thick for false ceiling.	Sq.ft.	३६१७५	३६१७५	३६१७५	
३६	Iron grill welding charge only	kg.	३८१२२	३८१२२	३८१२२	
३७	शालम शोचालयको रिग		(	(	(	
३८	1.5" PCC ,3 feet dia and 1.5 feet height	No.	७००१००	७००१००	७००१००	
३९	2" RCC ,3 feet dia and 1.5 feet height	No.	१,०००१००	१,०००१००	१,०००१००	
४०	ढक्कन	गोटा	४९११४०	४९११४०	४९११४०	
४१	Mirror		(	(	(	
	3mm thick.	sq.m	६२७९०	६२७९०	६२७९०	
	4mm thick.	sq.m	७५१२६	७५१२६	७५१२६	
	5mm, thick.	sq.m	८९११००	८९११००	८९११००	
	6mm, thick.	sq.m	१,१४६६०	१,१४६६०	१,१४६६०	
	Water Supply Materials	unit	(	(	(	
४२	Lead Pipe Jointing	kg.	२६२१०८	२६२१०८	२६२१०८	
४३	C.I. pipe	r.m.	(	(	(	
	2"	"				
	3"	"				
	4"	"	As Per Factory Rate	As Per Factory Rate	As Per Factory Rate	
	6"	"				
४४	C.I. elbow	no.				
	2"	"	२२९१३२	२२९१३२	२२९१३२	
	3"	"	४२५१८८	४२५१८८	४२५१८८	
	4"	"	४८५१९४	४८५१९४	४८५१९४	
	6"	"	६००१६०	६००१६०	६००१६०	
४५	C.I. Tee	no.				
	2"	"	३१११२२	३१११२२	३१११२२	
	3"	"	३७११२८	३७११२८	३७११२८	
	4"	"	६२७९०	६२७९०	६२७९०	
	6"	"	८५७९२२	८५७९२२	८५७९२२	
४६	C.I. socket band	no.				
	2"	"	१४११९६	१४११९६	१४११९६	
	3"	"	१६९१२६	१६९१२६	१६९१२६	
	4"	"	२२९१३२	२२९१३२	२२९१३२	
	6"	"	४५८६४	४५८६४	४५८६४	
४७	C.I. case					
	2"	"	३४३१९८	३४३१९८	३४३१९८	
	3"	"	३९८१५८	३९८१५८	३९८१५८	
	4"	"	४५८६४	४५८६४	४५८६४	
	6"	"	१,०३११९४	१,०३११९४	१,०३११९४	
४८	C.I. cobel	no.				
	2"	"	१६९१२६	१६९१२६	१६९१२६	
	3"	"	३९८१५८	३९८१५८	३९८१५८	
	4"	"	५१३१२४	५१३१२४	५१३१२४	
	6"	"	६८७९६	६८७९६	६८७९६	
४९	Water Pump Chinese	no.				
	0.5 HP	"	१,८९०१००	१,८९०१००	१,८९०१००	
	1 HP	"	३,०९७५०	३,०९७५०	३,०९७५०	
	1.5 HP	"	३,८८५१००	३,८८५१००	३,८८५१००	
	2 HP	"	५,५६५१००	५,५६५१००	५,५६५१००	
५०	Water Pump Indian	no.				
	0.5 HP	"	४,२००१००	४,२००१००	४,२००१००	
	1 HP	"	६,०९०१००	६,०९०१००	६,०९०१००	
	1.5 HP	"	११,१३०१००	११,१३०१००	११,१३०१००	
	2 HP	"	१५,४४०१००	१५,४४०१००	१५,४४०१००	
५१	Faucet 0.5" Brass	no.	३४३१९८	३४३१९८	३४३१९८	
	Steel	"	२८३१९२	२८३१९२	२८३१९२	



Handwritten signatures and initials in blue ink at the bottom of the page.

क्र. न.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
	Plastic	..	५४६०	५४६०	५४६०	
५२	Bib Cock Steel	no.	२२९।३२	२२९।३२	२२९।३२	
५३	Brass tape 3/4"	..	३९८।५८	३९८।५८	३९८।५८	
	Steel Tape Fancy 1/2"	..	५१३।२४	५१३।२४	५१३।२४	
	Pillar Cock 1/2"	..	४८५।९४	४८५।९४	४८५।९४	
	Lore Tape	..	८५३।६	८५३।६	८५३।६	
	Hand Pipe Head 4 NO	no.	३,८२२।००	३,८२२।००	३,८२२।००	
५४	Hand Pipe Head 6 No. HLC (Unicer Model) 30 kgs weight	no.	८,७३६।००	८,७३६।००	८,७३६।००	
५५	Hand Pipe Head 6 No. HLC (Original) 22.3kgs weight	..	६,००६।००	६,००६।००	६,००६।००	
५६	Brass Pipe Filter 1/2" 2P	no.	१,५४५।१८	१,५४५।१८	१,५४५।१८	
५७	PVC filter 1/2" 2P	..	६८५।९६	६८५।९६	६८५।९६	
५८	PVC filter belt and lead pipe	..	११४।६६	११४।६६	११४।६६	
५९	fancy steel angle valve	..	५७३।३०	५७३।३०	५७३।३०	
६०	C.P. steel stove valve (cork)	..	५१३।२४	५१३।२४	५१३।२४	
६१	Polythene Pipe (HDPE) different size & series nepal standard	kg.	२८३।९२	२८३।९२	२८३।९२	
	G.I. pipe 1/2" light	rm				
	G.I. pipe 1/2" medium	..	२२९।३२	२२९।३२	२२९।३२	
	G.I. pipe 3/4" medium	..	२९१।५६	३२०।७२	३२०।७२	
	G.I. pipe 1" medium	..	४४६।६३	४९१।२९	४९१।२९	
	G.I. pipe 1.5" medium	..	६६१।७५	७२५।६३	७२५।६३	
	G.I. pipe 2" medium	..	९२४।९२	१,०१५।४२	१,०१५।४२	
	G.I. pipe 2.5" medium	..	१,२०१।२०	१,३२१।३२	१,३२१।३२	
	G.I. pipe 3" medium	..	१,५२८।८०	१,६८१।६८	१,६८१।६८	
	G.I. pipe 4" medium	..	२,२९३।२०	२,५२२।५२	२,५२२।५२	
६२	Gate Valve	..				
	15mm dia.	..	८५१।७६	८५१।७६	८५१।७६	
	20mm dia.	..	१,१९०।२८	१,१९०।२८	१,१९०।२८	
	25mm dia.	..	१,७४७।२०	१,७४७।२०	१,७४७।२०	
	40mm dia.	..	३,६५८।२०	३,६५८।२०	३,६५८।२०	
	50mm dia.	..	५,६७८।४०	५,६७८।४०	५,६७८।४०	
६३	3" G.I. Fittings	no.				
	Tee	..	१,१४६।६०	१,१४६।६०	१,१४६।६०	
	Elbow	..	९२८।२०	९२८।२०	९२८।२०	
	Cross	..				
	Ferule	..				
	Socket	..	६०२।७८	६०२।७८	६०२।७८	
	Gate Valve (80 mm)	..	१७,७८८।६८	१७,७८८।६८	१७,७८८।६८	
	Bend	..				
	Union	..				
	Nipple 6" long	..	६४५।३७	६४५।३७	६४५।३७	
६४	3/4" G.I. fittings	no.				
	Tee	..	११२।४८	११२।४८	११२।४८	
	Elbow	..	७२।०७	७२।०७	७२।०७	
	Cross	..	१४५।२४	१४५।२४	१४५।२४	
	Ferule	..				
	Socket	..	६५।५२	६५।५२	६५।५२	
	Gate Valve (25 mm)	..	१,६७०।७६	१,६७०।७६	१,६७०।७६	
	Bend	..				
	Union	..	१७।४४	१७।४४	१७।४४	
	Nipple 6" long	..	१२।७५	१२।७५	१२।७५	
६५	1" G.I. Fittings	no.				
	Tee	..	१५१।७९	१५१।७९	१५१।७९	
	Elbow	..	११४।६६	११४।६६	११४।६६	
	Cross	..	२३१।५०	२३१।५०	२३१।५०	
	Ferule	..				
	Socket	..	८२।९९	८२।९९	८२।९९	
	Gate Valve (32 mm)	..	२,६७७।५८	२,६७७।५८	२,६७७।५८	
	Bend	..				
	Union	..	२२।८२३	२२।८२३	२२।८२३	
	Nipple 6" long	..	१८५।६४	१८५।६४	१८५।६४	
६६	1.5" G.I. fittings	no.				
	Tee	..	२९१।५६	२९१।५६	२९१।५६	
	Elbow	..	२४०।२४	२४०।२४	२४०।२४	
	Cross	..	५१९।७९	५१९।७९	५१९।७९	
	Ferule	..				
	Socket	..	१७।४४	१७।४४	१७।४४	



Handwritten signatures and initials are present at the bottom of the page, including a large signature on the left and several smaller ones across the middle and right.

प्रमुख जिल्ला अधिकारी  
महोत्तरी जिल्ला

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
	Gate Valve (32 mm)	..	५,६१२।०८	५,६१२।०८	५,६१२।०८	
	Bend	..				
	Union	..	४४३।३५	४४३।३५	४४३।३५	
	Nipple 6" long	..	२९२।६६	२९२।६६	२९२।६६	
६७	2" G.I. Fittings					
	Tee	..	४५६।४६	४५६।४६	४५६।४६	
	Elbow	..	३६५।८२	३६५।८२	३६५।८२	
	Cross	..	७७८।६०	७७८।६०	७७८।६०	
	Socket	..	२६६।४५	२६६।४५	२६६।४५	
	Gate Valve (65 mm)	..	११,६८६।५८	११,६८६।५८	११,६८६।५८	
	Union	..	६१६।९८	६१६।९८	६१६।९८	
	Nipple 6" long	..	४०५।१३	४०५।१३	४०५।१३	
६८	Pipe Uprooting Work 1.5"	r.m.	५।४६०	५।४६०	५।४६०	
६९	G.I. Chek Nut 1/2"	no.	३।८२२	३।८२२	३।८२२	
	3/4"	..	४३।६८	४३।६८	४३।६८	
	1"	..	४९।१४	४९।१४	४९।१४	
७०	Stop Cock Brass 1/2"	no.	७६।४४०	७६।४४०	७६।४४०	
	3/4"	..	८७३।६०	८७३।६०	८७३।६०	
७१	Ferule 1/2"	..	१९१।१०	१९१।१०	१९१।१०	
	Ferule 3/4"	..	२१८।४०	२१८।४०	२१८।४०	
७२	Ferule Concealed Brass 1/2"	no.	७६।४४०	७६।४४०	७६।४४०	
	3/4"	..	८१९।००	८१९।००	८१९।००	
७३	Gun Metal Check valve 1/2"	no.	९२।८२०	९२।८२०	९२।८२०	
	3/4"	..	१,४७४।२०	१,४७४।२०	१,४७४।२०	
	1"	..	१,८०१।८०	१,८०१।८०	१,८०१।८०	
	1.5"	..	३,५७६।३०	३,५७६।३०	३,५७६।३०	
७५	Check Valves 1/2"	no.	४६९।५६	४६९।५६	४६९।५६	
	3/4"	..	८१९।००	८१९।००	८१९।००	
	1"	..	१,६१०।७०	१,६१०।७०	१,६१०।७०	
	1.25"	..	२,६४२।६४	२,६४२।६४	२,६४२।६४	
	1.5"	..	३,८३६।३६	३,८३६।३६	३,८३६।३६	
	2"	..	४,४७७।२०	४,४७७।२०	४,४७७।२०	
	3"	..	१४,४६९।००	१४,४६९।००	१४,४६९।००	
	4"	..	२३,३६८।८०	२३,३६८।८०	२३,३६८।८०	
७६	Angle Valve Concealed	no.	९००।९०	९००।९०	९००।९०	
७७	Thread Tape	no.	१।६।३६	१।६।३६	१।६।३६	
७८	Hand Pipe Washer 1.5"	no.	७०।९८	७०।९८	७०।९८	
७९	Hand Pipe Jibiya 1.5"	no.	४९।१४	४९।१४	४९।१४	
८०	Hand Pipe Plunger 1.5"	no.	२६।२।०८	२६।२।०८	२६।२।०८	
८१	Hand Pipe Filter 1.5"	no.				
	3' Long	..	६५५	३६४	६५५	३६४
	6' Long	..	९८८	६२४	९८८	६२४
८२	हेन्ड पाईपको फिल्टरमा लगाउने प्लास्टिकको जाली	प्र. मि.	५।४६०	५।४६०	५।४६०	
८३	Hume pipe					
	NP2 class					
	150 mm dia.	Per 2.5 Rm	१,४९०।५८	१,४९०।५८	१,४९०।५८	
	200 mm dia.	Per 2.5 Rm	२,१६७।६२	२,१६७।६२	२,१६७।६२	
	225 mm dia.	Per 2.5 Rm	२,२९३।२०	२,२९३।२०	२,२९३।२०	
	250mm dia.	Per 2.5 Rm	२,४०२।४०	२,४०२।४०	२,४०२।४०	
	300 mm dia.	Per 2.5 Rm	३,५७०।८४	३,५७०।८४	३,५७०।८४	
	350 mm dia.	Per 2.5 Rm	४,०९५।००	४,०९५।००	४,०९५।००	
	400mm dia.	Per 2.5 Rm	४,६९५।६०	४,६९५।६०	४,६९५।६०	
	450 mm dia.	Per 2.5 Rm	५,०३४।१२	५,०३४।१२	५,०३४।१२	
	500 mm dia.	Per 2.5 Rm	५,२९६।२०	५,२९६।२०	५,२९६।२०	
	600mm dia.	Per 2.5 Rm	७,५४५।७२	७,५४५।७२	७,५४५।७२	
	750 mm dia.	Per 2.5 Rm	९,२८२।००	९,२८२।००	९,२८२।००	
	800 mm dia.	Per 2.5 Rm	९,८२८।००	९,८२८।००	९,८२८।००	
	900 mm dia.	Per 2.5 Rm	१४,२६१।५२	१४,२६१।५२	१४,२६१।५२	
	1000 mm dia.	Per 2.5 Rm	१५,९४३।२०	१५,९४३।२०	१५,९४३।२०	
	1200 mm dia.	Per 2.5 Rm	१७,२५३।६०	१७,२५३।६०	१७,२५३।६०	
	1500 mm dia.	Per 2.5 Rm	२७,३००।००	२७,३००।००	२७,३००।००	
	NP3 class					
	150 mm dia.	Per 2.5 Rm	३,११२।२०	३,११२।२०	३,११२।२०	
	200 mm dia.	Per 2.5 Rm	४,२०४।२०	४,२०४।२०	४,२०४।२०	
	250mm dia.	Per 2.5 Rm	५,००७।२०	५,००७।२०	५,००७।२०	
	300 mm dia.	Per 2.5 Rm	७,५५६।६४	७,५५६।६४	७,५५६।६४	



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones across the middle and right.

प्रमुख जिल्ला अधिकारी

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
	350 mm dia.	Per 2.5 Rm	७,०९८।००	७,०९८।००	७,०९८।००	
	400mm dia.	Per 2.5 Rm	७,४७४।७४	७,४७४।७४	७,४७४।७४	
	450 mm dia.	Per 2.5 Rm	११,३१३।२२	११,३१३।२२	११,३१३।२२	
	500 mm dia.	Per 2.5 Rm	१२,६१२।६०	१२,६१२।६०	१२,६१२।६०	
	600mm dia.	Per 2.5 Rm	१४,९१६।७२	१४,९१६।७२	१४,९१६।७२	
	750 mm dia.	Per 2.5 Rm	२०,९८२।७८	२०,९८२।७८	२०,९८२।७८	
	800 mm dia.	Per 2.5 Rm	२१,८४०।००	२१,८४०।००	२१,८४०।००	
	900 mm dia.	Per 2.5 Rm	२६,७५।००	२६,७५।००	२६,७५।००	
	1000 mm dia.	Per 2.5 Rm	२९,५९३।२०	२९,५९३।२०	२९,५९३।२०	
	1200 mm dia.	Per 2.5 Rm	३५,४९०।००	३५,४९०।००	३५,४९०।००	
	1500 mm dia.	Per 2.5 Rm	५६,०१९।६०	५६,०१९।६०	५६,०१९।६०	
	Transportation charge to jaleshwar					
	Below 900 mm dia.	Per 2.5 Rm	२,४०२।४०	२,४०२।४०	२,४०२।४०	
	Above 900mm dia.	Per 2.5 Rm	३,४९४।४०	३,४९४।४०	३,४९४।४०	
८४	MS pipe & Fittings for deep boring					
१	MS pipe 6mm thick, 200mm dia.	Rm		५,९४०।००	५,९४०।००	
२	MS pipe 7mm thick, 200mm dia.	Rm		७,५००।००	७,५००।००	
३	MS pipe 6.3mm thick, 200mm dia.	Rm		७,०००।००	७,०००।००	
४	MS pipe 6mm thick, 250mm dia.	Rm		७,१५०।००	७,१५०।००	
५	MS pipe 6.3mm thick, 250mm dia.	Rm		८,५००।००	८,५००।००	
६	MS pipe 7mm thick, 250mm dia.	Rm		९,०००।००	९,०००।००	
७	Ms pipe 250mm dia.	Rm		९,४५०।००	९,४५०।००	
८	Ms pipe 150mm dia.	Rm		४,७२५।००	४,७२५।००	
९	MS pipe 5mm thick, 150mm dia.	Rm		३,५००।००	३,५००।००	
१०	MS pipe 5.4mm thick, 150mm dia.	Rm		४,०००।००	४,०००।००	
११	150 mm Stainless Steel Screen	Rm		१५,२२५।००	१५,२२५।००	
१२	200 mm Stainless Steel Screen	Rm		१९,८००।००	१९,८००।००	
१३	150 mm LCG	Rm		१०,८९०।००	१०,८९०।००	
१४	200 mm LCG	Rm		१३,३१०।००	१३,३१०।००	
१५	MS Flange 10"	No		१२,१००।००	१२,१००।००	
१६	MS Flange 8"	No		४,०८५।००	४,०८५।००	
१७	MS Flange 6"	No		६,५६३।००	६,५६३।००	
१८	MS Flange 4"	No		३,५२०।००	३,५२०।००	
१९	MS Flange 3"	No		३,०००।००	३,०००।००	
२०	MS Top Plate ( Well Cover) 10"	No		७,१५०।००	७,१५०।००	
२१	MS Top Plate ( Well Cover) 8"	No		६,०५०।००	६,०५०।००	
२२	MS Top Plate ( Well Cover) 6"	No		५,५००।००	५,५००।००	
२३	MS Reducer 10"*6"	No		६,३००।००	६,३००।००	
२४	MS Reducer 8"*6"	No		६,५००।००	६,५००।००	
२५	MS Reducer 10"*8"	No		७,५००।००	७,५००।००	
२६	MS Reducer 6"*4"	No		४,१८०।००	४,१८०।००	
२७	Alfa Alfa Valve	No		६,०५०।००	६,०५०।००	
२८	uPVC pipe					
	160mm dia., uPVC pipe 4kgf	Rm		१,०३१।३७	१,०३१।३७	
	200mm dia., uPVC pipe 4kgf	Rm		१,५७७।९०	१,५७७।९०	
२९	uPVC pipe fittings					
	160mm dia., uPVC Socket	psc		५७०।००	५७०।००	
	160mm dia., uPVC Elbow 4kgf	psc		६९०।००	६९०।००	
	160mm dia., uPVC Tee 4kgf	psc		१,०५०।००	१,०५०।००	
	160mm dia., uPVC End Cap	psc		४००।००	४००।००	
	200mm dia., uPVC Socket	psc		१,३५०।००	१,३५०।००	
	200mm dia., uPVC Elbow 4kgf	psc		२,९८०।००	२,९८०।००	
	200mm dia., uPVC Tee 4kgf	psc		४,५००।००	४,५००।००	
	200mm dia., uPVC End Cap	psc		८५०।००	८५०।००	
३०	Flat Submersible Cable					
	4mm <sup>2</sup>	Rm		४८४।००	४८४।००	
	6mm <sup>2</sup>	Rm		६६०।००	६६०।००	
	10mm <sup>2</sup>	Rm		१,१५५।००	१,१५५।००	
	16mm <sup>2</sup>	Rm		१,८७५।००	१,८७५।००	
	25 mm <sup>2</sup>	Rm		२,६०१।००	२,६०१।००	
३१	CI Sluice Valve					
	150mm	No		३१,८१४।२०	३१,८१४।२०	
	100mm	No		१७,२४५।८०	१७,२४५।८०	
	80mm	No		१२,९५५।८०	१२,९५५।८०	
३२	CI Non Return Valve					
	150mm	No		३१,८२३।००	३१,८२३।००	
	100mm	No		१८,०४०।००	१८,०४०।००	

  
 नेपाल सरकार  
 मन्त्रालय  
 जिल्ला प्रशासन कार्यालय  
 महोत्तरी जलोबा

37/1/20  
  
 प्रमुख जिल्ला अधिकारी

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
	80mm	No		१२,९५८।००	१२,९५८।००	
३३	CI 90 Degree Bend					
	150mm	No		१६,५००।००	१६,५००।००	
	100mm	No		१३,२००।००	१३,२००।००	
	80mm	No		८,८४४।००	८,८४४।००	
३४	GI Pipe Medium					
३५	150mm	Rm		२,४२०।००	२,४२०।००	
३६	GI Elbow					
	50mm	No		३६५।००	३६५।००	
	80mm	No		९३५।००	९३५।००	
	100mm	No		१,६७५।००	१,६७५।००	
	150mm	No		६,६७५।००	६,६७५।००	
३७	GI Tee					
	50mm	No		४५९।८०	४५९।८०	
	80mm	No		१,१५५।००	१,१५५।००	
	100mm	No		२,०६६।००	२,०६६।००	
	150mm	No		९,०६०।७०	९,०६०।७०	
३८	GI Socket					
	50mm	No		२६६।४५	२६६।४५	
	80mm	No		६३१।६२	६३१।६२	
	100mm	No		१,११९।२५	१,११९।२५	
	150mm	No		५,१९२।००	५,१९२।००	
४०	Butter Fly Valve					
	8"	Set		४५,६५०।००	४५,६५०।००	
	6"	Set		३९,२७०।००	३९,२७०।००	
४१	Lowering of Column Pipe In Deep Tubewell	Rm		१,१५५।००	१,१५५।००	
४२	De-Lowering of Column Pipe In Deep Tubewell	Rm		१,१५५।००	१,१५५।००	
४२	Star Delta Pannel Board					
	25-30 HP	No		८९,७७५।००	८९,७७५।००	
	30-33 HP	No		१६३,९५५।००	१६३,९५५।००	
	35-40 HP	No		१००,०००।००	१००,०००।००	
	40-51HP	No		२०६,३०५।००	२०६,३०५।००	
४३	Rubber Packing					
	3"	No		३००।००	३००।००	
	4"	No		३२५।००	३२५।००	
	6"	No		४२५।००	४२५।००	
८५	MCCB of Standard Company					
	63A	No		७,८७५।००	७,८७५।००	
	100A	No		१०,७००।००	१०,७००।००	
८६	50mm <sup>2</sup> 4 Core Aluminium Conductor Non-Armored	rm		८७०।००	८७०।००	
८७	Main Switch of Standard Company					
	63A	No		१०,४४५।६०	१०,४४५।६०	
	100A	No		१९,६३२।८०	१९,६३२।८०	
८८	Pea Gravel	cum		३,०५०।००	३,०५०।००	
९६	Deep set boring construction materials					
	Materials	Unit				
	Indian Mark-3, Hand Pump Set	Set	३२,७६०।००	३२,७६०।००	३२,७६०।००	
१	4" dia pvc casing pipe	R.m	१,४१९।६०	१,४१९।६०	१,४१९।६०	
२	4" dia pvc screen pipe	R.m	१,८५६।४०	१,८५६।४०	१,८५६।४०	
३	5" dia GI riser pipe	R.m	३,०५७।६०	३,०५७।६०	३,०५७।६०	
४	Connecting Rod	R.m	२७३।००	२७३।००	२७३।००	
५	2.5" dia socket etc.	No	४९१।४०	४९१।४०	४९१।४०	
६	Cylinder	No	१०,९२०।००	१०,९२०।००	१०,९२०।००	
७	Spare For Pump Head					
८	Hexagonal bolts M12x1.75x40mm long 8 nos.	No	५१८।७०	५१८।७०	५१८।७०	
९	Hexagonal nuts M12x1.75 18 nos.	No	५१८।७०	५१८।७०	५१८।७०	
१०	Washer M12 10nos.	No	१९१।१०	१९१।१०	१९१।१०	
११	High tensile bolt M10x1.5x40mm long 1 no.	No	४३१।३४	४३१।३४	४३१।३४	
१२	Nylon nut M10x1.5 2 nos.	No	४४७।७२	४४७।७२	४४७।७२	
१३	Angle axle (stainless steel) 1 nos.	No	१,०३७।४०	१,०३७।४०	१,०३७।४०	
१४	Washer 4mm thick for handle axle 1no.	No	२१८।४०	२१८।४०	२१८।४०	
१५	Bearing 620 2nos.	No	२,७३०।००	२,७३०।००	२,७३०।००	
१६	Spacer 1no.	No	३००।३०	३००।३०	३००।३०	
१७	Chain with courling 1no.	No	२,९४८।४०	२,९४८।४०	२,९४८।४०	
१८	Bolt front cover M12x1.75x20mm long 2 nos.	No	४०९।५०	४०९।५०	४०९।५०	



नारायण प्रसाद रिवाल  
 प्रमुख जिल्ला अधिकारी

क्र. न.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
११	Spare For Cylinder	No	(	(	(	
१२	Nitrile rubber cup washers (4nos.)	No	७६४४०	७६४४०	७६४४०	
१३	Upper Valve rubber seating 2Nos	No	५४६१००	५४६१००	५४६१००	
१४	Check valve rubber seating 2nos.	no	६००६०	६००६०	६००६०	
१५	Rubber 'O' ring 4 nos.	No	६५५२०	६५५२०	६५५२०	
१६	Rubber mechanics tools	No	५४६१००	५४६१००	५४६१००	
१७	Village Machanics tools complete set	no	८१,९००१००	८१,९००१००	८१,९००१००	
१८	For 2" Shallow tubewell drilling work to 5" dia bore hole in soft formation through pebbles and gravels	Rm	१,३६५१००	१,३६५१००	१,३६५१००	
	Installation of TW assembly 2" dia pipe and screen including lowering work into the bore pole	Rm	१०९१२०	१०९१२०	१०९१२०	
१९	Tubewall washing work	Rm	१०९१२०	१०९१२०	१०९१२०	
२०	For 1/1.5" Shallow tubewell drilling work for 5" d	Rm	१,२५५१८०	१,२५५१८०	१,२५५१८०	
२१	Installation of TW assembly 2" dia pipe and scree	Rm	१०९१२०	१०९१२०	१०९१२०	
२२	Tubewall washing work	Rm	१०९१२०	१०९१२०	१०९१२०	
२३	For 4" shallow tubewell drilling work for 8.5" dia bore hole in soft formation through pebbles and gravel	Rm	३,१६६८८०	३,१६६८८०	३,१६६८८०	
२४	2" boring with lowering and washing all complete upto 60 m manually	Rm	३००१००	४००१००	४००१००	
२५	2" boring with lowering and washing all complete above 60 m with machine	Rm	१,०८११००	१,०८११००	१,०८११००	
२६	Submersible pump materials					
	7.5 HP Submersible pump with motor	No.	१२१,२७५१००	१२१,२७५१००	१२१,२७५१००	
	10 HP Submersible pump with motor	No.	१७९,०२५१००	१७९,०२५१००	१७९,०२५१००	
	15 HP Submersible pump with motor	No.	२६५,६५०१००	२६५,६५०१००	२६५,६५०१००	
	20 HP Submersible pump with motor	No.	२८२,९७५१००	२८२,९७५१००	२८२,९७५१००	
	25-30 HP Submersible pump with motor	No.	३०६,०७५१००	३०६,०७५१००	३०६,०७५१००	
२७	panel board suitable for 7.5 HP pump	No.	५५,१२५१००	५५,१२५१००	५५,१२५१००	
	panel board suitable for 10 HP pump	No.	६५,६२५१००	६५,६२५१००	६५,६२५१००	
	panel board suitable for 15 HP pump	No.	७६,१२५१००	७६,१२५१००	७६,१२५१००	
	panel board suitable for 20 HP pump	No.	८२,४२५१००	८२,४२५१००	८२,४२५१००	
	panel board suitable for 25-30 HP pump	No.	८९,७७५१००	८९,७७५१००	८९,७७५१००	
२८	GI pipe 2.5" medium class	Mtr	१,४९११००	१,४९११००	१,४९११००	
	GI pipe 3" medium class	Mtr	१,७६४१००	१,७६४१००	१,७६४१००	
	GI pipe 4" medium class	Mtr	२,४३६१००	२,४३६१००	२,४३६१००	
	GI pipe 5" medium class	Mtr	३,०८७१००	३,०८७१००	३,०८७१००	
२९	submersible copper flat cable 4 mm2	Mtr	७३९१२०	७३९१२०	७३९१२०	
	submersible copper flat cable 6 mm2	Mtr	८४३११५	८४३११५	८४३११५	
	submersible copper flat cable 10 mm2	Mtr	१,४४३१७५	१,४४३१७५	१,४४३१७५	
३०	Flange 2.5" MS	Set	१,९४२१२०	१,९४२१२०	१,९४२१२०	
	Flange 3" MS	Set	२,५७२१५०	२,५७२१५०	२,५७२१५०	
	Flange 4" MS	Set	३,०६६१००	३,०६६१००	३,०६६१००	
	Flange 5" MS	Set	४,९८८१५०	४,९८८१५०	४,९८८१५०	
	Flange 6" MS	Set	६,५६६१५०	६,५६६१५०	६,५६६१५०	
३१	MS Fitting Materials					
	Gun metal Non return valve 6"	No.	४१,४७५१००	४१,४७५१००	४१,४७५१००	
	Gun metal Non return valve 5"	No.	३७,१४३१७५	३७,१४३१७५	३७,१४३१७५	
	Gun metal Non return valve 4"	No.	२९,७५५१००	२९,७५५१००	२९,७५५१००	
	Gun metal Gate valve 6"	No.	४१,४७५१००	४१,४७५१००	४१,४७५१००	
	Gun metal Gate valve 4"	No.	३०,८७०१००	३०,८७०१००	३०,८७०१००	
	Gun metal Gate valve 5"	No.	३५,१७५१००	३५,१७५१००	३५,१७५१००	
३२	90 degree elbow 6" MS	No.	४,७२५१००	४,७२५१००	४,७२५१००	
	90 degree elbow 4" MS	No.	३,२५५१००	३,२५५१००	३,२५५१००	
	90 degree elbow 5" MS	No.	३,८३२१५०	३,८३२१५०	३,८३२१५०	
३३	MS Tee 6"	No.	६,७२०१००	६,७२०१००	६,७२०१००	
	MS Tee 5"	No.	५,७५४१००	५,७५४१००	५,७५४१००	
	MS Tee 4"	No.	५,०९२१५०	५,०९२१५०	५,०९२१५०	
३४	Deep Tubewell Materials					
	250 mm (10") MS Casing Pipe	Mtr	९,४५०१००	९,४५०१००	९,४५०१००	
	150 mm (6") MS Casing Pipe	Mtr	४,७२५१००	४,७२५१००	४,७२५१००	
	150 mm (6") LCG Steel Strainer	Mtr	९,४५०१००	९,४५०१००	९,४५०१००	
	150 mm (6") Stainless screen	Mtr	१५,२२५१००	१५,२२५१००	१५,२२५१००	
३५	Reducer 10/6 inch	Set	६,३००१००	६,३००१००	६,३००१००	
३६	Well cap with flange (10" Ø)	Set	८,९२५१००	८,९२५१००	८,९२५१००	



प्रमुख जिल्ला अधिकारी

क्र.न.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
३७	Well cap with flange (6" छं	Set	४,७२५।००	४,७२५।००	४,७२५।००	
३८	4" MS pipe	Mtr	२,२०५।००	२,२०५।००	२,२०५।००	
३९	Pvc pipe 6" (6 kg/cm2 )	Mtr	२,१४८।३०	२,१४८।३०	२,१४८।३०	
४०	Screen making charge on MS pipe	Mtr	८९२।५०	८९२।५०	८९२।५०	
४१	Screen making charge on MS pipe	Mtr	२,७२४।७५	२,७२४।७५	२,७२४।७५	
४२	<b>Electric Water Pump Motor for Agriculture purposed for irrigation</b>					
	2 Hp Electric water pump motor with Monoblock centrifugal water pump 3" outlet	No.			२०,०००।००	
	1 Hp Electric water pump motor with Monoblock centrifugal water pump 2" outlet	No.			१७,०००।००	
९७	पेट्रोल	लिट्र	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम	
९८	मट्रोल	लिट्र	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम	
९९	डिजल	लिट्र	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम	नेपाल सरकारले तोकेको दररेट बमोजिम	
	<b>विद्युतीकरण सम्बन्धि निर्माण सामग्री</b>					
१	Cable lock up 150	no.	२९४।८४	२९४।८४	२९४।८४	
२	Cable lock up 50	no.	११७।९४	११७।९४	११७।९४	
३	Kitkat fuse 300A	no.	१,७६९।०४	१,७६९।०४	१,७६९।०४	
४	Kitkat fuse 400A	no.	२,१२२।८५	२,१२२।८५	२,१२२।८५	
५	Kitkat fuse 500A	no.	२,३५८।७२	२,३५८।७२	२,३५८।७२	
६	9.0 m chemically treated wooden (Masala) pole	no.	७,६६५।८४	७,६६५।८४	७,६६५।८४	
७	Transformer connector	no.	७९१।७०	७९१।७०	७९१।७०	
८	Binding wire	kg.	१५२।८८	१५२।८८	१५२।८८	
९	8.0m chemically treated wooden (masala)pole	no.	६,५५२।००	६,५५२।००	६,५५२।००	
१०	cable socket different size	no.	१६३।८०	१६३।८०	१६३।८०	
११	Electric plate and switch	no.				
१२	1 gauge 1/2 way	no.	७०।९८	७०।९८	७०।९८	
१३	2 gauge 1/2 way	"	१२०।१२	१२०।१२	१२०।१२	
१४	3 gauge 1/2 way	"	१५२।८८	१५२।८८	१५२।८८	
१५	4 gauge 1/2 way	"	२०२।०२	२०२।०२	२०२।०२	
१६	6 gauge 1/2 way	"	२५१।१६	२५१।१६	२५१।१६	
१७	6pin socket 15 amp.	"	२५१।१६	२५१।१६	२५१।१६	
१८	telephone socket	no.	८७।३६	८७।३६	८७।३६	
१९	Deemer	"	३९३।१२	३९३।१२	३९३।१२	
२०	MCB- 6,10,15,20,25,32 amp.	"	१९१।१०	१९१।१०	१९१।१०	
२१	MCCB-10,16,20,25,32,45 amp.	"	४,९६८।६०	४,९६८।६०	४,९६८।६०	
२२	CFL 5 watt	"	२०।७४८	२०।७४८	२०।७४८	
२३	CFL 11 watt	"	२४।५।७०	२४।५।७०	२४।५।७०	
२४	CFL 14 watt	"	२५।१।१६	२५।१।१६	२५।१।१६	
२५	CFL 18 watt	"	३२।७।६०	३२।७।६०	३२।७।६०	
२६	CFL 25 watt	"	४२।५।८८	४२।५।८८	४२।५।८८	
२७	CFL 35 watt	"	६१।१।४२	६१।१।४२	६१।१।४२	
२८	CFL 45 watt	"	१,२८३।१०	१,२८३।१०	१,२८३।१०	
२९	CFL 65 watt	"	१,५०१।५०	१,५०१।५०	१,५०१।५०	
३०	CFL 85 watt	"	१,६९२।६०	१,६९२।६०	१,६९२।६०	
३१	CFL set with box 35 watt.	"	२,७८४।६०	२,७८४।६०	२,७८४।६०	
३२	CFL set with box 85 watt.	"	३,९०३।९०	३,९०३।९०	३,९०३।९०	
३३	LED bulb (सम्बन्धित उत्पादक राष्ट्रक गुणस्तर चिन्ह प्राप्त)					
३४	LED BULB (Wh,R,BI,Or,G,Y) 0.5W B22	गोटा	१०।२।३८	१०।२।३८	१०।२।३८	
३५	LED Bulb 3W B22/E27 2700/6500K	गोटा	१।७५।००	१।७५।००	१।७५।००	
३६	LED Bulb 5W B22/E27 2700/6500K	गोटा	२।२।७५।००	२।२।७५।००	२।२।७५।००	
३७	LED Bulb 8.3W B22/E27 2700/6500K	गोटा	३।१।५।००	३।१।५।००	३।१।५।००	
३८	LED Bulb 9W B22/E27 2700/6500K	गोटा	३।३।२।५।००	३।३।२।५।००	३।३।२।५।००	
३९	LED Bulb 11W B22/E27 2700/6500K	गोटा	४।०।६।८८	४।०।६।८८	४।०।६।८८	
४०	LED Bulb 14/15 W B22/E27 2700/6500K	गोटा	४।३।७।५०	४।३।७।५०	४।३।७।५०	
४१	High Power LED Bulb 20 W E27 2700/6500K	गोटा	९।४।५।००	९।४।५।००	९।४।५।००	
४२	High Power LED Bulb 25 W E27 2700/6500K	गोटा	१,०५।०।००	१,०५।०।००	१,०५।०।००	
४३	High Power LED Bulb 28W E27 2700/6500K	गोटा	१,१५।५।००	१,१५।५।००	१,१५।५।००	
४४	High Power LED Bulb 35 W E27 2700/6500K	गोटा	१,४४।६।३८	१,४४।६।३८	१,४४।६।३८	
४५	Squire type wall mounting LED 100 watt	गोटा	५,२५।०।००	५,२५।०।००	५,२५।०।००	
४६	Iron Circular Galvanized Pole 13Mtr Long as per NEA specification.	Mtr	५२,५००।००	५२,५००।००	५२,५००।००	
४७	Supply delivery and installation of Circular ring of 1m diameter to hold 6 Nos of LED flood light	No.	१०,५००।००	१०,५००।००	१०,५००।००	
४८	PVC Copper Wire (91.44 m in a quile)	quile				



Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and a stamp on the right that reads 'मन्त्रीको कार्यालय' (Minister's Office) and 'जिल्ला प्रशासन कार्यालय' (District Administration Office).

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
118		quile	१,२६०।००	१,२६०।००	१,२६०।००	
3122		quile	१,५७५।००	१,५७५।००	१,५७५।००	
3120		quile	२,१००।००	२,१००।००	२,१००।००	
7122		quile	२,८३५।००	२,८३५।००	२,८३५।००	
7120		quile	४,७२५।००	४,७२५।००	४,७२५।००	
7118		quile	६,३००।००	६,३००।००	६,३००।००	
7116		quile	१२,६००।००	१२,६००।००	१२,६००।००	
४९	Solar Power					
५०	Solar PV Module	प्रति वाट	९८।२८	९८।२८	९८।२८	
५१	Solar Tubular Battery (200Ah@c20, 12v)	गोटा	३५,०५३।२०	३५,०५३।२०	३५,०५३।२०	
५२	Solar Tubular Battery (150Ah@c20, 12v)	गोटा	२६,७५४।००	२६,७५४।००	२६,७५४।००	
५३	Solar Tubular Battery (100Ah@c20, 12v)	गोटा	१८,५६५।००	१८,५६५।००	१८,५६५।००	
५४	Solar Tubular Battery (80Ah@c20, 12v)	गोटा	१८,४५४।८०	१८,४५४।८०	१८,४५४।८०	
५५	Solar Tubular Battery (60Ah@c20, 12v)	गोटा	१३,३२२।४०	१३,३२२।४०	१३,३२२।४०	
५६	Solar Tubular Battery (40Ah@c20, 12v)	गोटा	८,७३६।००	८,७३६।००	८,७३६।००	
५७	Solar Gel battery (200Ah@c20, 12v)	गोटा	७२,८३६।४०	७२,८३६।४०	७२,८३६।४०	
५८	Solar Gel battery (150Ah@c20, 12v)	गोटा	५४,८१८।४०	५४,८१८।४०	५४,८१८।४०	
५९	Solar Gel battery (100Ah@c20, 12v)	गोटा	३९,४२१।२०	३९,४२१।२०	३९,४२१।२०	
६०	Solar Gel battery (80Ah@c20, 12v)	गोटा	३३,९६१।२०	३३,९६१।२०	३३,९६१।२०	
६१	Solar Gel battery (75Ah@c20, 12v)	गोटा	३०,१३९।२०	३०,१३९।२०	३०,१३९।२०	
६२	Solar Gel battery (40Ah@c20, 12v)	गोटा	१७,२५३।६०	१७,२५३।६०	१७,२५३।६०	
६३	Solar Lithinium Ion Battery (100AH@c10, 12V)	गोटा	४०,०७६।४०	४०,०७६।४०	४०,०७६।४०	
६४	Solar Lithinium Ion Battery (80AH@c10, 12V)	गोटा	३५,५९१।२०	३५,५९१।२०	३५,५९१।२०	
६५	Solar Lithinium Ion Battery (50AH@c10, 12V)	गोटा	२०,४२०।४०	२०,४२०।४०	२०,४२०।४०	
६६	Charge controller (60A/24-48V)	गोटा	३५,४९०।००	३५,४९०।००	३५,४९०।००	
६७	Charge controller (45A/12-24-48V)	गोटा	२६,०९८।८०	२६,०९८।८०	२६,०९८।८०	
६८	Charge controller (30A/12-24-48V)	गोटा	२१,६२१।६०	२१,६२१।६०	२१,६२१।६०	
६९	Charge controller (25A/12-24-48V)	गोटा	१६,१६१।६०	१६,१६१।६०	१६,१६१।६०	
७०	Charge controller 20a/12-24 V	गोटा	६,५५२।००	६,५५२।००	६,५५२।००	
७१	Charge controller 15a/12-24 V	गोटा	५,३५०।८०	५,३५०।८०	५,३५०।८०	
७२	Charge controller 10a/12-24 V	गोटा	२,९४८।४०	२,९४८।४०	२,९४८।४०	
७३	Charge controller 5a/12-24 V	गोटा	१,७४७।२०	१,७४७।२०	१,७४७।२०	
७४	Solar dusk to down controller 20A/12V with driver curcuit	गोटा	४,९९४।००	४,९९४।००	४,९९४।००	
७५	Solar street light 40W- 12V DC with autodimming system	गोटा	१४,८५१।२०	१४,८५१।२०	१४,८५१।२०	
७६	Solar street light 30W- 12V DC with autodimming system	गोटा	२६,५३५।६०	२६,५३५।६०	२६,५३५।६०	
७७	Solar street light 20W- 12V DC with autodimming system	गोटा	१६,७०७।६०	१६,७०७।६०	१६,७०७।६०	
७८	Solar street light 100W	गोटा	४६,१९१।६०	४६,१९१।६०	४६,१९१।६०	
७९	Solar street light 80W	गोटा	३९,०९३।६०	३९,०९३।६०	३९,०९३।६०	
८०	Solar street light 60W	गोटा	२९,२६५।६०	२९,२६५।६०	२९,२६५।६०	
८१	Solar street light 40W	गोटा	१६,४८१।२०	१६,४८१।२०	१६,४८१।२०	
८२	Solar street light 30W	गोटा	१३,१०४।००	१३,१०४।००	१३,१०४।००	
८३	Solar street light 20W	गोटा	९,३९१।२०	९,३९१।२०	९,३९१।२०	
८४	Solar street light 12W	गोटा	६,११५।२०	६,११५।२०	६,११५।२०	
८५	MS pole 6 m high with rustproof enamel paint dimension 4" for buttom 3 m 3" for top 3 m	गोटा	१९,०००।८०	१९,०००।८०	१९,०००।८०	
८६	MS pole 7 m high with rustproof enamel paint dimension 4" for buttom 4 m 5" for top 3 m	गोटा	२०,९६६।४०	२०,९६६।४०	२०,९६६।४०	
८७	MS pole 8 m high with rustproof enamel paint dimension 4" for buttom 5 m 6" for top 3 m	गोटा	२३,३६८।८०	२३,३६८।८०	२३,३६८।८०	
८८	MS pole 9 m high with rustproof enamel paint dimension 4" for buttom 6 m 6" for top 3 m	गोटा	२३,६९६।४०	२३,६९६।४०	२३,६९६।४०	
८९	7 m Hot Deep Galvanized pole with diameter of pole section 4" for buttom 4.5 m and 3" for top 2.5 m	गोटा	२३,३६८।८०	२३,३६८।८०	२३,३६८।८०	
९०	8 m Hot Deep Galvanized pole with diameter of pole section 5" for buttom 4.5 m, 4" Middle 1.75 m and 3" for top 1.75 m	गोटा	२६,९७२।४०	२६,९७२।४०	२६,९७२।४०	
९१	9 m Hot Deep Galvanized pole with diameter of pole section 5" for buttom 5 m, 4" Middle 2 m and 3" for top 2 m	गोटा	२९,३७४।८०	२९,३७४।८०	२९,३७४।८०	
९२	10 m Hot Deep Galvanized pole with diameter of pole section 5" for buttom 5.2 m, 4" Middle 2.4 m and 3" for top 2.4 m	गोटा	३१,७७७।२०	३१,७७७।२०	३१,७७७।२०	
९३	Pure sine wave inverter 850 VA/12V	गोटा	१८,०१८।००	१८,०१८।००	१३,५०५।००	
९४	Pure sine wave inverter 1000 VA/12V	गोटा	२५,००६।८०	२५,००६।८०	१९,००६।००	
९५	Pure sine wave inverter 1400 VA	गोटा	२६,५३५।६०	२६,५३५।६०	२३,०००।००	
९६	Pure sine wave Solar Hybrid inverter 850VA with inbuilt charge	गोटा	२२,०५८।४०	२२,०५८।४०	१९,८५२।६६	
९७	Pure sine wave Solar Hybrid inverter 1000VA with inbuilt charge	गोटा	२६,४२६।४०	२६,४२६।४०	२३,७८३।७६	



Handwritten signatures and initials at the bottom of the page, including a large signature on the left and several smaller ones on the right.

प्रमुख जिल्ला अधिकारी  
महोत्तरी जिल्ला

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला वर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
९८	Pure sine wave Solar Hybrid inverter 3KVA with 50A inbuilt charge	गोटा	७८,०७८१००	७८,०७८१००	७८,०७८१००	
९९	Pure sine wave Solar Hybrid inverter 5KVA with 50A inbuilt charge	गोटा	१५६,१५६१००	१५६,१५६१००	१५६,१५६१००	
१००	Hybrid UPS 3.5 KVA	गोटा	१०५,०००१००	१०५,०००१००	१०५,०००१००	
१०१	Hybrid UPS 2 KVA	गोटा	५२,७५४६३	५२,७५४६३	५२,७५४६३	
१०२	Hybrid UPS 1.7 KVA	गोटा	३७,०२०११	३७,०२०११	३७,०२०११	
१०३	Ms light Arms	सेट	२,४०२४०	२,४०२४०	२,४०२४०	
१०४	SPV mounting frame	सेट	६,३३३६०	६,३३३६०	६,३३३६०	
१०५	Battery box	सेट	४,९१४१००	४,९१४१००	४,९१४१००	
१०६	Battery stand	सेट	४,९१४१००	४,९१४१००	४,९१४१००	
१०७	LED TUBELIGHTS					
१०८	LED Tubelight 18w 6500k	गोटा	२९२६६	२९२६६	२९२६६	
१०९	LED Tubelight with Holder 18w 6500k	गोटा	४६१९२	४६१९२	४६१९२	
११०	100 Wp Solar PV Pannel	Wp	१५,२८८१००	१५,२८८१००	१५,२८८१००	
१११	15 KVA Transformer	no	२२६,०००३२	२२६,०००३२	२२६,०००३२	
११२	25 KVA Transformer	nos	२९६,४१२४८	२९६,४१२४८	२९६,४१२४८	
११३	50 KVA Transformer	nos	४२३,९४१३४	४२३,९४१३४	४२३,९४१३४	
११४	75 KVA Transformer	no	४४६,२६२०८	४४६,२६२०८	४४६,२६२०८	
११५	100 KVA Transformer	nos	६७०,७३२६१	६७०,७३२६१	६७०,७३२६१	
११६	125 KVA Transformer	no	७९४,९७६१००	७९४,९७६१००	७९४,९७६१००	
११७	150 KVA Transformer	no	९०८,५४४१००	९०८,५४४१००	९०८,५४४१००	
११८	200 KVA Transformer	nos	१,१६२,८२२०५	१,१६२,८२२०५	१,१६२,८२२०५	
११९	250 KVA Transformer	no	१,६७७,७०५१२	१,६७७,७०५१२	१,६७७,७०५१२	
१२०	300 KVA Transformer	no	१,३२९,७६७७७	१,३२९,७६७७७	१,३२९,७६७७७	
१२१	8 mtrs Long PSC Poleas per NEA Specification	no	७,८५१००	८,५०५१००	८,५०५१००	
१२२	9 mtrs Long PSC Pole as per NEA Specification	no	९,९२५१००	९,९२५१००	९,९२५१००	
१२३	0.03 SQ Inch Conductor	km	४६,२००१००	५०,८२०१००	५०,८२०१००	
१२४	0.05 SQ inch Conductor	km	६३,५२५१००	६९,८७७५०	६९,८७७५०	
१२५	0.1 SQ. inch Conductor	km	१२७,०५०१००	१३९,७५५१००	१३९,७५५१००	
१२६	11 KV DO Set	set	२१,०००१००	२१,०००१००	२१,०००१००	
१२७	11kv LA set	set	११,०२५१००	११,०२५१००	११,०२५१००	
१२८	Earthing rod	nos	३,६७५१००	३,६७५१००	३,६७५१००	
१२९	Earthing copper wire	nos	२,६२५१००	२,६२५१००	२,६२५१००	
१३०	11 mm LT bush connector	nos	१,७८५१००	१,७८५१००	१,७८५१००	
१३१	Plus type channel	nos	५,२५०१००	५,२५०१००	५,२५०१००	
१३२	1200 mm flat type channel	nos	२,५२०१००	२,५२०१००	२,५२०१००	
१३३	300 mm flat type channel	nos	६३०१००	६३०१००	६३०१००	
१३४	Flat cross arm bracing	nos	३१५१००	३१५१००	३१५१००	
१३५	11 kv dics insuletor set	set	२,६२५१००	२,६२५१००	२,६२५१००	
१३६	11 kv pin insuletor set	set	३१५१००	३१५१००	३१५१००	
१३७	pole clamp	nos	३१५१००	३१५१००	३१५१००	
१३८	Stay set	set	१,७८५१००	१,७८५१००	१,७८५१००	
१३९	Stay wire	kg	२२०१००	२२०१००	२२०१००	
१४०	Stay insuletor	nos	२५२००	२५२००	२५२००	
१४१	Nut- bolt	kg	३६७५०	३६७५०	३६७५०	
१४२	D- Iron set	set	२३१००	२३१००	२३१००	
१४३	120 sq mm 4 core ABC cable	mtrs	१,०५०१००	१,०५०१००	१,०५०१००	
१४४	७5 sq mm 4 core ABC Cable	mtrs	८६६२५	८६६२५	८६६२५	
१४५	50 sq mm 4 core ABC Cable	mtrs	४२०१००	४२०१००	४२०१००	
१४६	TRF mounting set	set	२५,३०५१००	२५,३०५१००	२५,३०५१००	
१४७	Earthing chemical	kg	४२००	४२००	४२००	
१४८	Note: All electrical items specification must have to meet as per NEA.					
१४९	Five pin plug	No.	५४६०	५४६०	५४६०	
१५०	3pin power plug	"	२१८४०	२१८४०	२१८४०	
१५१	5pin power plug	"	२२९३२	२२९३२	२२९३२	
१५२	Bulb holder	"	२७३०	२७३०	२७३०	
१५३	flux	"	२७३०	२७३०	२७३०	
१५४	MCH switch box	"	३८२०	३८२०	३८२०	
१५५	CFL set with box 85 watt	"	३,८२२०	३,८२२०	३,८२२०	
१५६	Providing and fixing concealed or bit wiring, point for light, fan, plug, fuse, indicator, ballbell etc with 5amp. One way switch pipe 5 pin socket broad fuse indicator, angle or straight holder ceiling rose PVC switch board using 7x20 angle core main wire 3x20 single core distribution wire with 1/8 earthing wire continuous including all necessary materials and labour as per direction	No.	७७५३२	७७५३२	७७५३२	
१५७	Wooden Board					
१५८	12"* 8"	no	४३६८	४३६८	४३६८	
१५९	10"* 8"	no	३८२२	३८२२	३८२२	



*Handwritten signature and initials in the bottom left corner.*

*Large handwritten signatures and initials across the bottom of the page.*


महोत्तरी जिल्ला अधिकारी

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
१६०	४"×६"	"	२७३०	२७३०	२७३०	
१६१	६"×४"	"	२१८४	२१८४	२१८४	
१६२	४"×४"	"	१५१२९	१५१२९	१५१२९	
१६३	३"×३"	"	१५१२९	१५१२९	१५१२९	
१६४	Wooden Bit	r.m				
१६५	1/2"	"	१९६६	१९६६	१९६६	
१६६	3/4"	"	२१८४	२१८४	२१८४	
१६७	1"	"	२७३०	२७३०	२७३०	
१६८	1 1/2"	"	३०१८	३०१८	३०१८	
१६९	2"	"	३२७६	३२७६	३२७६	
१७०	Fiber Plate	no				
१७१	12"×8"	"	५४६०	५४६०	५४६०	
१७२	10"×8"	"	४९१४	४९१४	४९१४	
१७३	४"×६"	"	४९१४	४९१४	४९१४	
१७४	7"×४"	"	३६७५	३६७५	३६७५	
१७५	६"×४"	"	३६७५	३६७५	३६७५	
१७६	४"×४"	"	२७३०	२७३०	२७३०	
१७७	३"×३"	"	२१८४	२१८४	२१८४	
१७८	Plastic Board	no				
१७९	12"×8"	"	८७३६	८७३६	८७३६	
१८०	10"×8"	"	७६१४	७६१४	७६१४	
१८१	४"×६"	"	४९१४	४९१४	४९१४	
१८२	६"×४"	"	४३६८	४३६८	४३६८	
१८३	४"×४"	"	४११०	४११०	४११०	
१८४	३"×३"	"	२७३०	२७३०	२७३०	
१८५	Round Box 1 way. 20 mm.	Pc.	२११००	२११००	२११००	
१८६	Round Box 2 way. 20 mm.	Pc.	२११००	२११००	२११००	
१८७	Round Box 3 way 20 mm.	Pc.	२११००	२११००	२११००	
१८८	Round Box 4way 20 mm.	Pc.	२११००	२११००	२११००	
१८९	PVC Box 3"×3"	Pc.	५२१५	५२१५	५२१५	
१९०	PVC Box 3"×5"	Pc.	७३१०	७३१०	७३१०	
१९१	PVC Box 3"×4"	Pc.	६८२५	६८२५	६८२५	
१९२	PVC Box 5"×4"	Pc.	४७२५	४७२५	४७२५	
१९३	PVC Box 4"×4"	Pc.	२११००	२११००	२११००	
१९४	PVC Box 7"×4"	Pc.	३११०	३११०	३११०	
१९५	PVC Box 8"×3"	Pc.	२०४१५	२०४१५	२०४१५	
१९६	PVC Box 8"×6"	Pc.	२३६२५	२३६२५	२३६२५	
१९७	Electrical Conduit (Marvell) 20 mm.	Pc.	२२५१५	२२५१५	२२५१५	
१९८	Pipe clip 20 mm.	Pc.	८४०	८४०	८४०	
१९९	Conduit Socket 20 mm.	Pc.	१८१०	१८१०	१८१०	
२००	Electrical Cable 4mm FRLS Janata Gold	Pack.	६,०१६१०	६,०१६१०	६,०१६१०	
२०१	Electrical Cable 2.5mm FRLS Janata Gold	Pack.	४,०९५१०	४,०९५१०	४,०९५१०	
२०२	Electrical Cable 1.5mm FRLS Janata Gold	Pack.	२,६४०१५	२,६४०१५	२,६४०१५	
२०३	Electrical Cable 4 Core Aluminium Janata 35 mm.	Rm.	४७२१०	४७२१०	४७२१०	
२०४	Wall Fan	Pc.	४,२००१०	४,२००१०	४,२००१०	
२०५	Main Switch 45 A (Dyna DP)	Pc.	७३५१०	७३५१०	७३५१०	
२०६	6 Mod Plate (Horizontal)	Pc.	३४१२५	३४१२५	३४१२५	
२०७	Mod Switch With Indicator 25 A	Pc.	३५७००	३५७००	३५७००	
२०८	Mod 5 Pin 25 A	Pc.	४५११०	४५११०	४५११०	
२०९	Board Fuse	Pc.	६३००	६३००	६३००	
२१०	Board indicator	Pc.	४७२५	४७२५	४७२५	
२११	Board 5 Pin	Pc.	६३००	६३००	६३००	
२१२	4 Gang Switch with 5 Pin&Indicator	Pc.	६८२१०	६८२१०	६८२१०	
२१३	6 Gang Switch with 5 Pin&Indicator	Pc.	८४०१०	८४०१०	८४०१०	
२१४	Switch 16 A. 2-1/2"×2-1/2"	Pc.	१५७५०	१५७५०	१५७५०	
२१५	DB 3 Phase 8 way ( For 24 MCB)	Pc.	८,९२५१०	८,९२५१०	८,९२५१०	
२१६	MCB TPN 60 A.	Pc.	३,६७५१०	३,६७५१०	३,६७५१०	
२१७	MCB SP 10 A.	Pc.	३१५१०	३१५१०	३१५१०	
२१८	MCB SP 16 A.	Pc.	३१५१०	३१५१०	३१५१०	
२१९	Cable Tie 200mm. 250mm. 3mm.	Pkt.	४७२१०	४७२१०	४७२१०	
२२०	Paper Tape 1"	Pc.	२१०१०	२१०१०	२१०१०	
२२१	Metal Greep Nut Boalt Set 8mm	Pc.	५२१५	५२१५	५२१५	
२२२	TPN Change Over Switch 63 A. 440 V.	Pc.	१२,६००१०	१२,६००१०	१२,६००१०	
२२३	DP Change Over Switch 32 A. 415 V.	Pc.	४,२००१०	४,२००१०	४,२००१०	
२२४	Cilicon White	Pc.	४२०१०	४२०१०	४२०१०	



3719/203  
 [Handwritten signatures and marks]

क्र. न.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
२२५	UPS 1600 VA.	Pc.	१६,८००।००	१६,८००।००	१६,८००।००	
२२६	Battery 220AH.	Pc.	३६,७५०।००	३६,७५०।००	३६,७५०।००	
२२७	GI Black Pipe 1-1/2" or 2"	Per/ft.	१४१।७५	१४१।७५	१४१।७५	
२२८	Gumbaj Light Set (In Top)	Set.	४,२००।००	४,२००।००	४,२००।००	
२२९	Kalla Tar	Kg.	१८९।००	१८९।००	१८९।००	
२३०	Concrete Nail 1"	Kg.	२६२।५०	२६२।५०	२६२।५०	
२३१	Concrete Nail 1-1/2"	Kg.	२६२।५०	२६२।५०	२६२।५०	
२३२	Steel Waser 6.5 mm. hole.	Pcs	१०।५०	१०।५०	१०।५०	
२३३	PVC Greep 6.5mm, White	Pkt.	१५।७५	१५।७५	१५।७५	
२३४	PVC Greep 8mm, White	Pkt.	२६२।५०	२६२।५०	२६२।५०	
२३५	Steel Star Screw 2-1/2"	Pkt.	५२५।००	५२५।००	५२५।००	
२३६	Garden Pole Light 12" LED Set	Pc.	१,६८०।००	१,६८०।००	१,६८०।००	
२३७	Round Plate	Pc.	१५।७५	१५।७५	१५।७५	
२३८	Grinder Blade Concrete 4"	Pc.	३१५।००	३१५।००	३१५।००	
२३९	Grinder Blade Concrete 7"	Pc.	१,०५०।००	१,०५०।००	१,०५०।००	
२४०	Grinder Metal Blade Concrete 4"	Pc.	५२।५०	५२।५०	५२।५०	
२४१	Drill Bti 6.5mm	Pc.	२१०।००	२१०।००	२१०।००	
२४२	Drill Bti 8mm	Pc.	३१५।००	३१५।००	३१५।००	
२४३	Drill Bti 10.5mm	Pc.	४२०।००	४२०।००	४२०।००	
२४४	Drill Bti 18mm	Pc.	६३०।००	६३०।००	६३०।००	
२४५	Small Garden + Pound Lighting Controll Pannel With All Electrical Materials (Rain Proof)	Set.	३६,७५०।००	३६,७५०।००	३६,७५०।००	
२४६	Big Garden Lighting Controll Pannel With All Electrical Materials (Rain Proof)	Set.	४२,०००।००	४२,०००।००	४२,०००।००	
२४७						
२४८	3Phase Meter को सबै सामान को COST.	Set.	४२,०००।००	४२,०००।००	४२,०००।००	
२४९	Speaker-300w	Pcs	६,३००।००	६,३००।००	६,३००।००	
२५०	Speaker cable	Roll	३,९९०।००	३,९९०।००	३,९९०।००	
२५१	Amplifier set with mic & cordless mic set-2500w with all accessories.	Set	१२०,७५०।००	१२०,७५०।००	१२०,७५०।००	
२५२	Wiring Clip	no				
२५३	150 no. size	..	१९।६६	१९।६६	१९।६६	
२५४	200 no. size	..	२१।८४	२१।८४	२१।८४	
२५५	250 no. size	..	२४।०२	२४।०२	२४।०२	
२५६	Wooden Guli	no	६।५५	६।५५	६।५५	
२५७	Plastic grip	..	५।४६	५।४६	५।४६	
२५८	Main line wire(service wire)	r.m	३८।२२	३८।२२	३८।२२	
२५९	Bulb ( 40 Watt to 100 Watt)	no	३।२।७६	३।२।७६	३।२।७६	
२६०	Mercury	no	२।८।४०	२।८।४०	२।८।४०	
२६१	Ceiling fan (Standard Company)					
२६२	36" size	no	३,२७६।००	३,२७६।००	३,२७६।००	
२६३	42" size	..	३,४९४।४०	३,४९४।४०	३,४९४।४०	
२६४	48" size	..	३,८२२।००	३,८२२।००	३,८२२।००	
२६५	Ceiling fan (General)					
२६६	36" size	no	१,६३८।००	१,६३८।००	१,६३८।००	
२६७	42" size	..	१,४७४।२०	१,४७४।२०	१,४७४।२०	
२६८	48" size	..	१,३३७।७०	१,३३७।७०	१,३३७।७०	
२६९	Table fan Standard Company	..	३,४३९।८०	३,४३९।८०	३,४३९।८०	
२७०	Stand fan	..	५,४६०।००	५,४६०।००	५,४६०।००	
२७१	Exhaust fan 1-0"	..	२,७३०।००	२,७३०।००	२,७३०।००	
२७२	" " 0'-9"	..	२,२९३।२०	२,२९३।२०	२,२९३।२०	
२७३	Tubelight bracket set	no	१,०९२।००	१,०९२।००	१,०९२।००	
२७४	Domelight bracket set	no	६५४।२०	६५४।२०	६५४।२०	
२७५	PVC listy	r.m				
२७६	0.5"	no	५।४।६०	५।४।६०	५।४।६०	
२७७	0.75"	no	६।०।०६	६।०।०६	६।०।०६	
२७८	1"	no	६।५।२२	६।५।२२	६।५।२२	
२७९	1.5"	no	७।०।९८	७।०।९८	७।०।९८	
२८०	2"	no	७।६।४४	७।६।४४	७।६।४४	
२८१	Steel screw	packet				
२८२	1/2 size (100 no in a pack)	"	२४।५।७०	२४।५।७०	२४।५।७०	
२८३	3/4"	"	२९।४।८४	२९।४।८४	२९।४।८४	
२८४	1"	"	३२।७।६०	३२।७।६०	३२।७।६०	
२८५	1.5"	"	३८।२।२०	३८।२।२०	३८।२।२०	
२८६	2"	"	४३।६।८०	४३।६।८०	४३।६।८०	
२८७	Copper plate 1"x1"	no	१,६३८।००	१,६३८।००	१,६३८।००	
२८८	Kirkat flux 10 amp.	no	३।२।७६	३।२।७६	३।२।७६	



क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
२८९	Main switch 30 amp.	no	१,६३८।००	१,६३८।००	१,६३८।००	
२९०	Sub main switch	no	२१८।४०	२१८।४०	२१८।४०	
२९१	Main switch kitkat heavy connection	no	२,७३०।००	२,७३०।००	२,७३०।००	
२९२	On/off switch flush types	no	३२।७६	३२।७६	३२।७६	
२९३	Sub main switch 32 amp.	no	१९१।१०	१९१।१०	१९१।१०	
२९४	Main switch 32 amp. Double faze	no	८७३।६०	८७३।६०	८७३।६०	
२९५	Switch flush type 5 amp.	no	२४।०२	२४।०२	२४।०२	
२९६	Power plug 15 amp.	no	१६३।८०	१६३।८०	१६३।८०	
२९७	Two pin plug	no	३२।७६	३२।७६	३२।७६	
२९८	Kitkat 15 Amp	no	३९।३९	३९।३९	३९।३९	
२९९	" 22 Amp	no	७०।९८	७०।९८	७०।९८	
३००	" 63 Amp	no	१९६।५६	१९६।५६	१९६।५६	
३०१	Main switch 63 Amp.	"	२,८३९।२०	२,८३९।२०	२,८३९।२०	
३०२	Main switch kitkat connection 63 Amps	"	३४९।४४	३४९।४४	३४९।४४	
३०३	Bulb holder angle	"	३२।७६	३२।७६	३२।७६	
३०४	Ceiling rose	"	२९।४८	२९।४८	२९।४८	
३०५	Cooler standard company	no	८,९५४।४०	८,९५४।४०	८,९५४।४०	
३०६	Cooler local	"	५,४६०।००	५,४६०।००	५,४६०।००	
३०७	Electric line fitting	Point				
३०८	Channel	"	३८।२२	३८।२२	३८।२२	
३०९	Bit	"	४३।६८	४३।६८	४३।६८	
३१०	Pipe	"	२७।३०	२७।३०	२७।३०	
३११	Underground	"	४९।१४	४९।१४	४९।१४	
३१२	Main switch fitting	no	१९६।५६	१९६।५६	१९६।५६	
३१३	Copper wire earthing fitting	r.m	१६।३८	१६।३८	१६।३८	
३१४	5 pin socket 5 amp.	no	४३।६८	४३।६८	४३।६८	
३१५	2 pin socket	"	३०।५८	३०।५८	३०।५८	
३१६	3 pin socket	"	४३।६८	४३।६८	४३।६८	
३१७	3 pin top	"	४९।१४	४९।१४	४९।१४	
३१८	Call bell ( With tuning )	"	३९।३।२	३९।३।२	३९।३।२	
३१९	Call bell simple	"	२१।८।४०	२१।८।४०	२१।८।४०	
३२०	Fuse	"	५।४।६०	५।४।६०	५।४।६०	
३२१	Water tight bracket	"	३२।७६।०	३२।७६।०	३२।७६।०	
३२२	Vapour light standard company	"				
३२३	125 watt	"	५,४६०।००	५,४६०।००	५,४६०।००	
३२४	250 watt	"	९,२८२।००	९,२८२।००	९,२८२।००	
३२५	450 watt	"	१३,६५०।००	१३,६५०।००	१३,६५०।००	
३२६	Insulation tape	no	२७।३०	२७।३०	२७।३०	
३२७	Connector 15 Amp.	"	५।४।६०	५।४।६०	५।४।६०	
३२८	PVC Pipe 3/4" for electricity	r.m	२७।३०	२७।३०	२७।३०	
३२९	" 1" "	"	३८।२२	३८।२२	३८।२२	
३३०	" sandle 3/4" "	no	६।५५	६।५५	६।५५	
३३१	" " 1" "	"	७।६४	७।६४	७।६४	
३३२	PVC junction boxes 3/4"	no	१६।३८	१६।३८	१६।३८	
३३३	" " " 1" "	"	१६।३८	१६।३८	१६।३८	
३३४	PVC Tee 3/4"	no	६।५५	६।५५	६।५५	
३३५	" " 1" "	"	१०।९२	१०।९२	१०।९२	
३३६	PVC elbow 3/4"	no	७।६४	७।६४	७।६४	
३३७	" " 1" "	"	१०।९२	१०।९२	१०।९२	
३३८	PVC band 3/4"	no	१०।९२	१०।९२	१०।९२	
३३९	" " 1" "	"	१६।३८	१६।३८	१६।३८	
३४०	Painted Holder	no	३२।७६	३२।७६	३२।७६	
३४१	Mercury Chock	no	१७४।७२	१७४।७२	१७४।७२	
३४२	" " (electroincis)	no	२९।४।८	२९।४।८	२९।४।८	
३४३	Bracket light	no	२७३।००	२७३।००	२७३।००	
३४४	Mercury tubes	no	१०९।२०	१०९।२०	१०९।२०	
३४५	Starter	no	२१।८।४	२१।८।४	२१।८।४	
३४६	D.B. switch single	no	२१।८।४०	२१।८।४०	२१।८।४०	
३४७	PVC fittings (electric)	no				
३४८	" 1/2"	"	४।३७	४।३७	४।३७	
३४९	" 3/4"	"	७।६४	७।६४	७।६४	
३५०	" 1"	"	१०।९२	१०।९२	१०।९२	
३५१	" 1.25"	"	१३।१०	१३।१०	१३।१०	
३५२	" 2"	"	१६।३८	१६।३८	१६।३८	
३५३	Metal box 3"x3"	no	३२।७६	३२।७६	३२।७६	
३५४	" 5"x3"	"	४३।६८	४३।६८	४३।६८	
३५५	D.B. box					



37/12/208  
 Signature

Signature

Signature


Signature  
 प्रमुख जिल्ला अधिकारी

क्र. न.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
३५६	two way		७०१९८	७०१९८	७०१९८	
३५७	four way		२९४८४	२९४८४	२९४८४	
३५८	six way		३९३१२	३९३१२	३९३१२	
३५९	eight way		४६७८४	४६७८४	४६७८४	
३६०	ten way		४६७८४	४६७८४	४६७८४	
३६१	twelve way		७९१७०	७९१७०	७९१७०	
३६२	fourteen way		९०६३६	९०६३६	९०६३६	
३६३	MCB switch box		४९११४०	४९११४०	४९११४०	
३६४	Sub - meter		६७७०४	६७७०४	६७७०४	
३६५	HDP pipe (electric)					
३६६	1/2"	Rm	१६३८	१६३८	१६३८	
३६७	3/4"	Rm	२१८४	२१८४	२१८४	
३६८	1"	Rm	३२७६	३२७६	३२७६	
३६९	150 AMCCB	Nos.	८,४०८४०	८,४०८४०	८,४०८४०	
३७०	250 AMCCB	Nos.	१४,२८८००	१४,२८८००	१४,२८८००	
३७१	Bulb Holder Standar company	No	३६१७५	३६१७५	३६१७५	
३७२	Bulb cap fiber	No	४७२५	४७२५	४७२५	
३७३	12" exhusst fan USA/ Bajaj/ baltra or eivalet etc. all complete work.	No.	४,७२५१००	४,७२५१००	४,७२५१००	
३७४	Kent/Euro guard/Aquwa guard filter or equivalent 1liter/minute all complete work.	Set	२३,१००१००	२३,१००१००	२३,१००१००	
३७५	Wall Fan 22"	Nos.	८,४००१००	८,४००१००	८,४००१००	
३७६	Air Conditioning System					
३७७	Single Split (1:1) Wall mounted/ Ceiling Cassette/ Floor standing type Air Conditioner (Heat Pump) with Complete Silence, Powerful operation, Intelligent Control, Filter cleaning Indicator, PMV Control and power saving features included wireless remote controller, installation between indoor to outdoor unit with all required materials like copper tube, insulation tube, electrical wiring should also be included with in the cost (Brand:LG, Daikin, Panasonic or equivalent.)					
३७८	Wall mounted Inverter type Split Units with Wireless remote Controller					
३७९	0.75 Ton	set		८१,०००१००	८१,०००१००	
३८०	1.0 Ton	set		७९,५४८६७	७९,५४८६७	
३८१	1.5 Ton	set		१२०,३४५१२	१२०,३४५१२	
३८२	2.0 Ton	set		१४३,४४२४७	१४३,४४२४७	
३८३	Ceiling Cassette inverter type Split Units with Wireless remote Controller					
३८४	1.0 Ton	set		११८,८००१००	११८,८००१००	
३८५	1.5 Ton	set		१४४,८००१००	१४४,८००१००	
३८६	2.0 Ton	set		१६२,०००१००	१६२,०००१००	
३८७	3.0 Ton	set		२६१,९५०१००	२६१,९५०१००	
३८८	4.0 Ton (3ph)	set		२६५,५००१००	२६५,५००१००	
३८९	Wall mounted Non-Inverter type Split Type AC with Wireless display remote Controller					
३९०	0.75 Ton	set		५२,२००१००	५२,२००१००	
३९१	1.0 Ton	set		५१,५५०१४४	५१,५५०१४४	
३९२	1.5 Ton	set		६८,०५०१४४	६८,०५०१४४	
३९३	2.0 Ton	set		८४,२५०१४४	८४,२५०१४४	
३९४	Ceiling Cassette Non-inverter type Split Type AC with Wireless display remote Controller					
	1.0 Ton	set		८६,६००१००	८६,६००१००	
	1.5 Ton	set		९९,३००१००	९९,३००१००	
	2.0 Ton	set		१२८,६००१००	१२८,६००१००	
	3.0 Ton	set		१७६,०००१००	१७६,०००१००	
३९५	Binding wire (fiber)	roll	३,६७५१००	३,६७५१००	३,६७५१००	
३९६	Binding wire ( Clipping)	Rooll	३६७५०	३६७५०	३६७५०	
३९७	Media converter	Pcs	१२,६००१००	१२,६००१००	१२,६००१००	
<b>जिल्ला वन कार्यालय सम्बन्धी दररेट</b>						
१	गोलिया काठ कटान मुछान तर्फ					
	रुख छगान प्रति रुख	गोटा	१६३८	१६३८	१६३८	
	रुख गोलिया कटान, मुछान	घन फिट	३८२२	३८२२	३८२२	
	घोक्रा ताछने, रिङ्ग काटने	घन फिट	१६३८	१६३८	१६३८	
	ग्रेडिङ र याडिङ	घन फिट	३८२२	३८२२	३८२२	
	लोड	घन फिट	३२७६	३२७६	३२७६	



Handwritten signatures and stamps at the bottom of the page, including a large signature on the left and a stamp on the right that reads 'महोत्तरी जिल्ला अधिकारी'.

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
	अनलोड	घन फिट	१६३८	१६३८	१६३८	
	बगीचा	घन फिट	२७३०	२७३०	२७३०	
२	ढुवानी					
	२ कि.मि. सम्म	कि.मि.	३२७६	३२७६	३२७६	
	२.५ कि.मि. सम्म	कि.मि.	४३६८	४३६८	४३६८	
	५ देखि १० कि.मि. सम्म	कि.मि.	५४६०	५४६०	५४६०	
३	वाईनिज टुभो		८४१००	८४१००	८४१००	
	दाउरा कटान मुछान					
	दाउरा कटान	चडा	४,९१४१००	४,९१४१००	४,९१४१००	
	चडा निर्माण	चडा	२,७३०१००	२,७३०१००	२,७३०१००	
	लोडिङ ढुवानीको लागि	चडा	१,८५६४४०	१,८५६४४०	१,८५६४४०	
	अनलोडिङ ढुवानीको लागि	चडा	१,२०११२०	१,२०११२०	१,२०११२०	
४	बिरुवा ढुवानी लोड अनलोड सहित					
	i ० देखि १० कि.मि. सम्म	गोटा	११९१	११९१	११९१	
	ii १० देखि २० कि.मि. सम्म	गोटा	२१८	२१८	२१८	
	iii २० देखि ३० कि.मि. सम्म	गोटा	२७३	२७३	२७३	
	iv ३० देखि ४० कि.मि. सम्म	गोटा	३१८	३१८	३१८	
	v ४० देखि ५० कि.मि. सम्म	गोटा	३६२	३६२	३६२	
	vii वोट बिरुवाको मूल्य					
	i आँपको बिरुवा, मान्द्रह/चम्बुई- १ वर्ष	गोटा	१४५१००	१४५१००	१४५१००	
	ii - २ वर्ष	गोटा	७०१००	१७०१००	१७०१००	
	iii - ३ वर्ष	गोटा	२७३१००	२७३१००	२७३१००	
	iv आँपको बिरुवा, दसहरी/आम्रपाली/मालिका/जडा- १ वर्ष	गोटा	१६३६०	१६३६०	१६३६०	
	v - २ वर्ष	गोटा	२७३१००	२७३१००	२७३१००	
	vi - ३ वर्ष	गोटा	४३६६०	४३६६०	४३६६०	
	i जडीबुटी					
	ii कुरिलो	गोटा	७६४	७६४	७६४	
	iii सर्पगन्धा	गोटा	३२७६	३२७६	३२७६	
	iv घृतकुमारी	गोटा	१०९१२०	१०९१२०	१०९१२०	
५	बेल	गोटा	३६२२	३६२२	३६२२	
	i लेमनग्रास/नेपियर	सेट	३६२	३६२	३६२	
	ii अमिसो	सेट	५१४६	५१४६	५१४६	
	iii वन बिरुवा, विभिन्न प्रजातीको	गोटा	८७४	८७४	८७४	
	iv डाले घाँस, विभिन्न प्रजातीको	गोटा	१६३८	१६३८	१६३८	
	v बाँसको बेर्ना, सक्कर/राईजीम १ वर्ष	गोटा	१८५६४	१८५६४	१८५६४	
	vi बाँसको बेर्ना, सक्कर/राईजीम २ वर्ष	गोटा	२७३१००	२७३१००	२७३१००	
	बाँसको बेर्ना, बिउ बाँस	गोटा	३२७६	३२७६	३२७६	
	पोली बेग, २२ गोज	के.जी.	३६२२०	३६२२०	३६२२०	
	तेजपाल	गोटा	४३६८	४३६८	४३६८	
६	लिची- १ वर्ष	गोटा	१०९१२०	१०९१२०	१०९१२०	
	- २ वर्ष	गोटा	१९११०	१९११०	१९११०	
	कागती	गोटा	५४६०	५४६०	५४६०	
७	कटहर	गोटा	७५१००	७५१००	७५१००	
	i अनार जेनेरल	गोटा	१०९१२०	१०९१२०	१०९१२०	
	ii अनार मिडियम	गोटा	१६३६०	१६३६०	१६३६०	
	iii अनार स्पेशल	गोटा	२१८४०	२१८४०	२१८४०	
	iv आँप (५ फिट अथवा ३ वर्ष सम्मको बिरुवा)	गोटा	१४५१००	१४५१००	१४५१००	
	v आँप (३ फिट अथवा १ वर्ष सम्मको बिरुवा)	गोटा	७०१००	७०१००	७०१००	
	vi केरा	गोटा	३५१००	३५१००	३५१००	
	३ अम्बा	गोटा	६५१००	६५१००	६५१००	
	४ कागती	गोटा	४५१००	४५१००	४५१००	
	५ मेवा	गोटा	६५१००	६५१००	६५१००	
	६ डुगान	गोटा	१३५१००	१३५१००	१३५१००	
	७ लडाक्ष/श्रीखण्ड	गोटा	२७३१००	२७३१००	२७३१००	
	८ अशोक	गोटा	६५१४२	६५१४२	६५१४२	
	९ घृषी	गोटा	८७३६	८७३६	८७३६	
१०	अदुदा	के.जी.	२७३१००	२७३१००	२७३१००	
	वेसार	के.जी.	८७३६	८७३६	८७३६	
११	मुगाफली	के.जी.	३२७६०	३२७६०	३२७६०	
१२	बीउ विजन					
१३	मिसौ/खेर	के.जी.	१,६३६१००	१,६३६१००	१,६३६१००	
	ii मसला	के.जी.	३,२७६१००	३,२७६१००	३,२७६१००	
	iii बाँस	के.जी.	४,३६६१००	४,३६६१००	४,३६६१००	
	iv कदम	के.जी.	३,२७६१००	३,२७६१००	३,२७६१००	
	स्टाईलो घाँस	के.जी.	१,६३६१००	१,६३६१००	१,६३६१००	
	v सतावरी	के.जी.	४,९१४१००	४,९१४१००	४,९१४१००	




प्रमुख जिल्ला अधिकारी  
 महोत्तरी जिल्ला

क्र. न.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
vi	बासको कटिंग विरवा	गोटा	२१८४०	२१८४०	२१८४०	
vii	बेत बासको विरवा	गोटा	५४६०	५४६०	५४६०	
viii	टीकको विरवा	"	२७३०	२७३०	२७३०	
x	बिटुमीन (अलकतरा)	"				
१४	VG-10(New M.S.) drum Packed	के.जी.	११६१००	११६१००	११६१००	
१५	VG-30(New M.S.) drum Packed	के.जी.	११७६०	११७६०	११७६०	
१६	Cationic Bitumen Emulsion (Himalson)		HDP Drum Packed MS Drum Packed	HDP Drum Packed MS Drum Packed	HDP Drum Packed MS Drum Packed	
१७	Rapid Setting(R/S 60%)	के.जी.	१०४१२ १००११	१०४१२ १००११	१०४१२ १००११	
१८	Rapid Setting(R/S 65%)	के.जी.	११०१८ १०६१७	११०१८ १०६१७	११०१८ १०६१७	
१९	Rapid Setting(R/S 70%)	के.जी.	११६१४ ११३३३	११६१४ ११३३३	११६१४ ११३३३	
२०	Medium Setting(M/S 60%)	के.जी.	१०४१७ १०१३६	१०४१७ १०१३६	१०४१७ १०१३६	
i	Medium Setting(M/S 65%)	के.जी.	१०६३०५ ११२२०	१०६३०५ ११२२०	१०६३०५ ११२२०	
ii	Slow Setting(S/S 60%)	के.जी.	१०९१४४ १०८१०	१०९१४४ १०८१०	१०९१४४ १०८१०	
iii	Slurry Seal(S/Seal 60%)	के.जी.	१०९१४४ १११४०	१०९१४४ १११४०	१०९१४४ १११४०	
iv	Cut Back(MC 30)	के.जी.	१७२१० १७८२०	१७२१० १७८२०	१७२१० १७८२०	
v	Cut Back (MC 70)	के.जी.	१५१३१ १५५१०	१५१३१ १५५१०	१५१३१ १५५१०	
vi	Cut Back (MC800)	के.जी.	१५४८५ १५१२४	१५४८५ १५१२४	१५४८५ १५१२४	
२१	<b>Delivery Upto 15 km</b>					
२२	M10 (Grade of Concrete)	घ.मी.	११,१२२५७	११,१२२५७	११,१२२५७	
२३	M15 (Grade of Concrete)	घ.मी.	१२,१७२५७	१२,१७२५७	१२,१७२५७	
२४	M20 (Grade of Concrete)	घ.मी.	१३,२२२५७	१३,२२२५७	१३,२२२५७	
२५	M25 (Grade of Concrete)	घ.मी.	१३,७५२२१	१३,७५२२१	१३,७५२२१	
२६	M30 (Grade of Concrete)	घ.मी.	१४,७००१००	१४,७००१००	१४,७००१००	
२७	<b>Concrete Block</b>					
२८	40*15*20	गोटा		३५१००	३५१००	
२९	40*10*20	गोटा		३०१००	३०१००	
३०	<b>Precast Interlocking brick</b>					
३१	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	प्रति गोटा		२०३६	२०३६	
३२	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 70mm, Dimension:230*110*70, Tolerance/others:Machine Made Precast Concrete Bricks)	प्रति गोटा		२२०९	२२०९	
३३	Bricks Grey Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	प्रति गोटा		१८६२	१८६२	
३४	Bricks Single Color with compressive strength M10 or above. (Specification: Thickness: 55mm, Dimension:230*110*55, Tolerance/others:Machine Made Precast Concrete Bricks)	प्रति गोटा		१९४९	१९४९	
३५	Hollowcon Grey Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	प्रति गोटा		१३४२७	१३४२७	
३६	Hollowcon Single Color with compressive strength M7 or above. (Specification: Thickness: 200mm, Dimension:390*200*190, Tolerance/others:Machine Made)	प्रति गोटा		१५१५९	१५१५९	
३७	Hollowcon Grey Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	प्रति गोटा		११२६१	११२६१	



प्रमुख कार्यालय महोत्तरी

क्र. न.	विवरण	ईकाद	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
३८	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 150mm, Dimension:390*150*190, Tolerance/others:Machine Made)	प्रति गोटा		१२३०१	१२३०१	
३९	Hollocon Grey Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	प्रति गोटा		९३५६	९३५६	
४०	Hollocon Single Color with compressive strength M7 or above. (Specification: Thickness: 100mm, Dimension:390*100*190, Tolerance/others:Machine Made)	प्रति गोटा		१०४८२	१०४८२	
४१	Hexagon Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	प्रति गोटा		३७२५	३७२५	
४२	Hexagon Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	प्रति गोटा		४३३१	४३३१	
४३	Hexagon Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension: 226*200*50 (NS Standard)	प्रति गोटा		४७६४	४७६४	
४४	Hexagon Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	प्रति गोटा		४४१८	४४१८	
४५	Hexagon Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	प्रति गोटा		५०२४	५०२४	
४६	Hexagon Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension: 226*200*60 (NS Standard)	प्रति गोटा		५२८४	५२८४	
४७	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	प्रति गोटा		५४५७	५४५७	
४८	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	प्रति गोटा		५८९१	५८९१	
४९	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension: 226*200*70 (NS Standard)	प्रति गोटा		६३२४	६३२४	
५०	Hexagon Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	प्रति गोटा		६२३७	६२३७	
५१	Hexagon Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	प्रति गोटा		६८४३	६८४३	
५२	Hexagon Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension: 226*200*80 (NS Standard)	प्रति गोटा		७१०३	७१०३	
५३	Rectangular Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	प्रति गोटा		३६३८	३६३८	
५४	Rectangular Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	प्रति गोटा		४१५८	४१५८	




३७/१०/२०७७  
 [Signatures]  
 [Stamps]  
 महोत्तरी जिल्ला अधिकारी

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
५५	Rectangular Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*100*60 (NS Standard)	प्रति गोटा		४३३१	४३३१	
५६	Rectangular Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	प्रति गोटा		७४५०	७४५०	
५७	Rectangular Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	प्रति गोटा		८१४३	८१४३	
५८	Rectangular Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:200*100*100 (NS Standard)	प्रति गोटा		८४०३	८४०३	
५९	Benaton Interlock T Pavers Grey Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	प्रति गोटा		३८१८	३८१८	
६०	Benaton Interlock T Pavers Single Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	प्रति गोटा		४४०५	४४०५	
६१	Benaton Interlock T Pavers Blended Color with compressive strength M35 or above. Thickness: 50mm, Dimension:200*165*50 (NS Standard)	प्रति गोटा		४७६४	४७६४	
६२	Benaton Interlock T Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	प्रति गोटा		६१५०	६१५०	
६३	Benaton Interlock T Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	प्रति गोटा		६८४३	६८४३	
६४	Benaton Interlock T Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*165*80 (NS Standard)	प्रति गोटा		७१०३	७१०३	
६५	Uni Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	प्रति गोटा		४४६१	४४६१	
६६	Uni Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	प्रति गोटा		५१५४	५१५४	
६७	Uni Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:240*120*60 (NS Standard)	प्रति गोटा		५४१४	५४१४	
६८	Zigzag Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	प्रति गोटा		६०६४	६०६४	
६९	Zigzag Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	प्रति गोटा		६६७०	६६७०	
७०	Zigzag Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:225*112.5*80 (NS Standard)	प्रति गोटा		६९३०	६९३०	
७१	Zigzag Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	प्रति गोटा		९९६२	९९६२	



37/15/2020  
 [Handwritten signatures and text]  
 नारायण शर्मा निरसाल  
 प्रमुख जिल्ला अधिकारी

क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला वर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
७२	Zigzag Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	प्रति गोटा		११२६१	११२६१	
७३	Zigzag Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:225*112.5*100 (NS Standard)	प्रति गोटा		११६१४	११६१४	
७४	Zigzag Interlock Pavers Grey Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	प्रति गोटा		११२६१	११२६१	
७५	Zigzag Interlock Pavers Single Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	प्रति गोटा		१२१२८	१२१२८	
७६	Zigzag Interlock Pavers Blended Color with compressive strength M55 or above. Thickness: 120mm, Dimension:225*112.5*120 (NS Standard)	प्रति गोटा		१२२६१	१२२६१	
७७	Komba 3D interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	प्रति गोटा		५८०४	५८०४	
७८	Komba 3D interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	प्रति गोटा		६४१७	६४१७	
७९	Komba 3D interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*173*60 (NS Standard)	प्रति गोटा		६४५७	६४५७	
८०	Square Interlock Pavers Grey Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	प्रति गोटा		५७१७	५७१७	
८१	Square Interlock Pavers Single Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	प्रति गोटा		७०१७	७०१७	
८२	Square Interlock Pavers Blended Color with compressive strength M30 or above. Thickness: 50mm, Dimension:200*200*50 (NS Standard)	प्रति गोटा		७४१०	७४१०	
८३	Square Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	प्रति गोटा		७१०३	७१०३	
८४	Square Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	प्रति गोटा		८४०३	८४०३	
८५	Square Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	प्रति गोटा		८८३६	८८३६	
८६	Cobble Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	प्रति गोटा		१७३३	१७३३	
८७	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	प्रति गोटा		१९९२	१९९२	



नारायण प्रसाद शिवालय
   
 प्रमुख जिल्ला अधिकारी


क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
८८	Cobble Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:100*100*60 (NS Standard)	प्रति गोटा		२४२६	२४२६	
८९	Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	प्रति गोटा		७१०३	७१०३	
९०	Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	प्रति गोटा		७९१७०	७९१७०	
९१	Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	प्रति गोटा		८४१०३	८४१०३	
९२	Interlock With Cobble Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	प्रति गोटा		७६१२३	७६१२३	
९३	Interlock With Cobble Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	प्रति गोटा		८४१८९	८४१८९	
९४	Interlock With Cobble Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:200*200*60 (NS Standard)	प्रति गोटा		९३१५६	९३१५६	
९५	Matrix Slab 7 Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	प्रति गोटा		२४२१५५	२४२१५५	
९६	Matrix Slab 7 Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	प्रति गोटा		२६८१५४	२६८१५४	
९७	Matrix Slab 7 Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:400*400*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	प्रति गोटा		२९४१५३	२९४१५३	
९८	Matrix Slab 7 Tiles Grey Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	प्रति गोटा		३५५१६६	३५५१६६	
९९	Matrix Slab 7 Tiles Single Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	प्रति गोटा		३९८१४८	३९८१४८	
१००	Matrix Slab 7 Tiles Blended Color with compressive strength M35 or above. (Specification: Thickness: 60mm, Dimension:400*400*60, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	प्रति गोटा		४४९१७९	४४९१७९	

3/15/20  








  
 नारायण प्रमुख  
 प्रमुख जिल्ला अधिकारी



क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला वर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
१०१	Mixed Fusion Slab 7 Ties Grey Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	प्रति गोटा		१,६४५।८८	१,६४५।८८	
१०२	Mixed Fusion Slab 7 Ties Single Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	प्रति गोटा		१,८६२।४४	१,८६२।४४	
१०३	Mixed Fusion Slab 7 Ties Blended Color with compressive strength M35 or above. (Specification: Thickness: 40mm, Dimension:1200*800*40, Tolerance/others:±1mm Variance in thickness, Proper Interlock Grooves & Pigment Color, Water absorption <6%)	प्रति गोटा		२,०७९।००	२,०७९।००	
१०४	Nostalgic Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	प्रति गोटा		२,७२८।६९	२,७२८।६९	
१०५	Nostalgic Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	प्रति गोटा		२,९८८।५६	२,९८८।५६	
१०६	Nostalgic Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:1140x960x60mm/ Pallet (NS Standard)	प्रति गोटा		३,११८।५०	३,११८।५०	
१०७	Grass Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:400x600x80mm (NS Standard)	प्रति गोटा		४२०।१३	४२०।१३	
१०८	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	प्रति गोटा		३६८।१६	३६८।१६	
१०९	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	प्रति गोटा		३८९।८१	३८९।८१	
११०	Half battered Kerbstone Grey Color with compressive strength M20. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	प्रति गोटा		३०७।५२	३०७।५२	
१११	Half battered Kerbstone Grey Color with compressive strength M25. Thickness/ Breadth: 165mm, Dimension:300*165*325 (LxBxH) (NS Standard)	प्रति गोटा		३२४।८४	३२४।८४	
११२	Half battered Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	प्रति गोटा		३५९।४९	३५९।४९	
११३	Half battered Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension: 250*200*380 (LxBxH) (NS Standard)	प्रति गोटा		३७६।८२	३७६।८२	
११४	Buttose Kerbstone Grey Color with compressive strength M20. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	प्रति गोटा		४०७।४४	४०७।४४	

37/12/19

नासमन्त विमान विद्यालय  
 प्रमुख जिल्ला अधिकारी



क्र. न.	विवरण	इकाइ	महोत्तरी जिला दर रेट			कैफियत
			२०२०-२०२१	२०२१-०२२	२०२२-०२३	
११५	Bullnose Kerbstone Grey Color with compressive strength M25. Thickness: 200mm, Dimension:300*200*350 (LxBxH) (NS Standard)	प्रति गोटा		४२८७९	४२८७९	
११६	V Shape Drain Male & Female set with compressive strength M35. Thickness: 70mm, Dimension: 300x75x499.5 (LxBxH)	प्रति गोटा		५६३०६	५६३०६	
११७	Cobble Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)	प्रति गोटा		२३५२	२३५२	
११८	Cobble Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)	प्रति गोटा		२६४०	२६४०	
११९	Cobble Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:100*100*80 (NS Standard)	प्रति गोटा		२९६३	२९६३	
१२०	Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	प्रति गोटा		८३४५	८३४५	
१२१	Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	प्रति गोटा		९६२४	९६२४	
१२२	Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 60mm, Dimension:200*200*80 (NS Standard)	प्रति गोटा		१०५६१	१०५६१	
१२३	Interlock With Cobble Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	प्रति गोटा		९९१९०	९९१९०	
१२४	Interlock With Cobble Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	प्रति गोटा		१११३५	१११३५	
१२५	Interlock With Cobble Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*200*80 (NS Standard)	प्रति गोटा		११९१०	११९१०	
१२६	Grass Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:400x600x100mm (NS Standard)	प्रति गोटा		५७६१९	५७६१९	
१२७	Rectangular Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 70mm, Dimension:200*100*70 (NS Standard)	प्रति गोटा		४५३४	४५३४	
१२८	Rectangular Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 70mm, Dimension:200*100*70 (NS Standard)	प्रति गोटा		५२४३	५२४३	
१२९	Rectangular Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 70mm, Dimension:200*100*70 (NS Standard)	प्रति गोटा		५७३४	५७३४	
१३०	Rectangular Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)	प्रति गोटा		४९७७	४९७७	
१३१	Rectangular Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)	प्रति गोटा		५७५९	५७५९	

*(Handwritten signature)*  
*(Handwritten signature)*

*(Handwritten signature)*  
*(Handwritten signature)*  
*(Handwritten signature)*

*(Handwritten signature)*  
 प्रमुख जिला अधिकारी



क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
१३२	Rectangular Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:200*100*80 (NS Standard)	प्रति गोटा		६२६८	६२६८	
१३३	Permeable Interlock Pavers Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)	प्रति गोटा		७५६९	७५६९	
१३४	Permeable Interlock Pavers Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)	प्रति गोटा		९०८९	९०८९	
१३५	Permeable Interlock Pavers Blended Color with compressive strength M35 or above. Thickness: 60mm, Dimension:228*158*60 (NS Standard)	प्रति गोटा		१०११५	१०११५	
१३६	Permeable Interlock Pavers Grey Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)	प्रति गोटा		९१६४	९१६४	
१३७	Permeable Interlock Pavers Blended Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)	प्रति गोटा		१०९१३९	१०९१३९	
१३८	Permeable Interlock Pavers Single Color with compressive strength M40 or above. Thickness: 80mm, Dimension:228*158*80 (NS Standard)	प्रति गोटा		१२२१७२	१२२१७२	
१३९	Permeable Interlock Pavers Grey Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)	प्रति गोटा		१२६३०	१२६३०	
१४०	Permeable Interlock Pavers Single Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)	प्रति गोटा		१४९१२	१४९१२	
१४१	Permeable Interlock Pavers Blended Color with compressive strength M50 or above. Thickness: 100mm, Dimension:228*158*100 (NS Standard)	प्रति गोटा		१६७२७	१६७२७	
१४२	Porus Permeable Matrix Tiles Grey Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40	प्रति गोटा		३०१८८	३०१८८	
१४३	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 40mm, Dimension:400*400*40	प्रति गोटा		३६२१७	३६२१७	
१४४	Porus Permeable Interlock Matrix Grey Color with compressive strength M35 or above. Thickness: 60mm, Dimension:400*400*60	प्रति गोटा		३७६५५	३७६५५	
१४५	Porus Permeable Matrix Tiles Single Color with compressive strength M35 or above. Thickness: 60mm, Dimension:400*400*60	प्रति गोटा		४७२१०२	४७२१०२	
१४६	Parking tiles(25 mm )	ब.मी.		४२१००	४२१००	
१४७	Pre-cast Structure					
१४८	2 Inch Pre stress precast concrete toilet wall and ceiling panel			५४८६३	५४८६३	
१४९	Pre stress precast concrete benches			७,९८०१००	७,९८०१००	
१५०	Pre stress precast concrete compound wall			२९९१२५	२९९१२५	
१५१	Pre stress precast concrete fencing pole (4"*4")			१३९६५	१३९६५	
१५२	Pre stress precast concrete fencing pole (5"*5")			१५९६०	१५९६०	
१५३	EPS Sandwich panel work( metal sheet based) including fitting					

3/15/23

प्रमुख जिल्ला अधिकारी



क्र. नं.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०८१	२०८१-०८२	२०८२-०८३	
१४४	Providing and fitting FR 3 Sandwich Panel, FR 3 rated, Exterior & Interior Skin of 0.3-0.4mm PPGI with flame retardant EPS core insulation, Base Metal 1105mm and effective width 1,000mm, length 2m-13m with specified color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)					
१४५	Ivory color/white color Flat partition and exterior wall					
	Thickness					
	50mm	वर्ग फिट		३१८।७४	३१८।७४	
	75mm	वर्ग फिट		३६७।५३	३६७।५३	
	100mm	वर्ग फिट		४१६।१२	४१६।१२	
	125mm	वर्ग फिट		४६७।०८	४६७।०८	
	150mm	वर्ग फिट		५१४।८७	५१४।८७	
१४६	Gray color RP wall panel					
	Thickness					
	50mm	वर्ग फिट		३५१।५९	३५१।५९	
	75mm	वर्ग फिट		३९९।३८	३९९।३८	
	100mm	वर्ग फिट		४८६।००	४८६।००	
	125mm	वर्ग फिट		४६७।५४	४६७।५४	
	150mm	वर्ग फिट		५४९।७२	५४९।७२	
१४७	wooden color siding wall panel					
	Thickness					
	75mm	वर्ग फिट		४४४।१९	४४४।१९	
	100mm	वर्ग फिट		४९४।९६	४९४।९६	
	125mm	वर्ग फिट		५५१।७१	५५१।७१	
	150mm	वर्ग फिट		५९९।५२	५९९।५२	
१४८	Blue and Orange Roof panel	वर्ग फिट				
	Thickness					
	50mm	वर्ग फिट		३६८।५२	३६८।५२	
	75mm	वर्ग फिट		४१७।३०	४१७।३०	
	100mm	वर्ग फिट		५०६।९१	५०६।९१	
	125mm	वर्ग फिट		५१४।८७	५१४।८७	
	150mm	वर्ग फिट		५६५।६५	५६५।६५	
१४९	Zinc panel( combat and black color)					
	Thickness					
	50mm	वर्ग फिट		४५८।१३	४५८।१३	
	75mm	वर्ग फिट		४९०।९८	४९०।९८	
	100mm	वर्ग फिट		५८१।५७	५८१।५७	
	125mm	वर्ग फिट		६००।४९	६००।४९	
	150mm	वर्ग फिट		६३१।३५	६३१।३५	
१५०	Sandwich PUFF panel work( metal sheet based) including fitting					
१५१	Providing and fitting FR sandwich Ivory/white color Wall Panel, Exterior & Interior Skin of 0.4-0.5mm PPGI with PUF core insulation of density 45-50 kg/m3, Base Metal width 1105mm and effective width 1,000mm, length 2m-13m of approved color and thickness with its accessories such as (ubar, joint bar, corner bar, screw, screw cap, color piece, projection gable, sealing materials)					
१५२	Ivory color/white color Flat puff wall					
	Thickness					
	40mm	वर्ग फिट		३६२।७०	३६२।७०	
	50mm	वर्ग फिट		३८५।२०	३८५।२०	
	75mm	वर्ग फिट		४४५।५०	४४५।५०	
	100mm	वर्ग फिट		५१०।३०	५१०।३०	

3/5/2023  
 Shweta

Signature  
 Signature  
 Signature  
 Signature

नारायण प्रसाद रिवाल  
 प्रमुख जिल्ला अधिकारी



क्र. न.	विवरण	ईकाइ	महोत्तरी जिल्ला दर रेट			कैफियत
			२०८०-०९	२०८१-०८२	२०८२-०८३	
१६३	<b>Puff Panel Roof(orange/Blue)</b>					
	Thickness					
	30mm	वर्ग फिट		३४५।६०	३४५।६०	
	40mm	वर्ग फिट		३६५।२०	३६५।२०	
	50mm	वर्ग फिट		३९६।००	३९६।००	
	75mm	वर्ग फिट		४६४।४०	४६४।४०	
	100mm	वर्ग फिट		५३२।८०	५३२।८०	
१६४	Steel door					
	Providing and fitting 30 Minute Fire-Resistance Steel Door with all complete set of frame 1.6mm EGI Steel, leaf 0.8-0.5mm EGI Steel, core insulation Honey comb, 50 mm Thickness of Steel Door	वर्ग फिट		९९०।००	९९०।००	
१६५	Panel door					
	Providing and fitting Steel Panel Door all complete set of frame 0.4mm Aluminum, leaf Nonburn EPS Panel framed by 0.4mm Aluminum	वर्ग फिट		६४८।००	६४८।००	
१६६	UPVC Window					
	Providing and fitting 1.5mm thick multi-chamber frame thick UPVC Window all complete set along with frame having wall thickness of 2.0mm-3.0mm and 1.5(+0.2)mm thick galvanized mild steel section, Fitting materials and accessories for window, sliding windows with stainless insect screen.	वर्ग फिट		७९९।२०	७९९।२०	
१६७	Sheet pile Z pile			३८९।३८	३८९।३८	
	सिट पाइल (३ मि.मि -१० मिमि)with Driving ,2m गहिराई सम्म			२५०।००	२५०।००	
	सिट पाइल (१२ मि.मि -३० मिमि)with Driving ,2m गहिराई सम्म			२५०।००	२५०।००	
१६८	PVC plastic Heavy Duty manhole cover					
	24"*24"			३,८२५।०३	३,८२५।०३	
	18"*24"			४,०२२।००	४,०२२।००	
	18"*18"			२,२९८।००	२,२९८।००	
१६९	<b>Precast RCC drain M25 per meter</b>					
	90cm*90cm *125mm per meter			12678.50	12678.50	
	75cm *75cm *125 mm per meter			10769.63	10769.63	
	60cm *60cm *125 mm per meter			8804.26	8804.26	
	45cm *45cm *125 mm per meter			6990.04	6990.04	
	30cm *40cm *125 mm per meter			6148.47	6148.47	
१७०	<b>Precast Drain Cover M 25</b>					
	90 cm per meter			3671.36	3671.36	
	75 cm per meter			3057.44	3057.44	
	60 cm per meter			2356.76	2356.76	
	45 cm per meter			1602.89	1602.89	
	30 cm per meter			1603.01	1603.01	
१७१	Precase Drain Joint Work (All Size)	Per meter			1000.00	
१७२	Square Frame Heavy Duty					
	27"*27" (45 kg ) set			8104.00	8104.00	
	22"*22" (22 kg ) set			5665.00	5665.00	
१७३	Square Frame medium Duty					
	27"*27" (31 kg ) set			5187.00	5187.00	
	22"*22" (20 kg ) set			3353.00	3353.00	

37/15/010

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

*[Handwritten signature]*

महोत्तरी जिल्ला अधिकारी